

28" Counter-Depth Bottom Freezer Refrigerator with Ice Maker









GENERAL PROPERTIES	
Туре	Freestanding
Style	Counter-Depth Bottom Freezer
Finish	Black Glass
Handles	Flush Pocket Handle
Metal Back Wall	_
Cooling System	NeoFrost™ Dual Cooling Technology
Control System	Electronic Controls
Control Display Type & Location	Digital LED Display, Interior
Connectivity	_

CAPACITY	
Total Net Volume	16.39 cu. ft.
Fresh Food Net Volume	11.68 cu. ft.
Freezer Net Volume	4.71 cu. ft.



NEOFROST™ DUAL COOLING TECHNOLOGY

NeoFrost™ Dual Cooling's separate cooling systems for each compartment maintain ideal air flow and optimal temperatures with a high level of humidity in both the freezer and the fridge.

PREMIUM TECHNOLOGY



IONGUARD®

Advanced lonGuard® technology creates a fresh air environment inside your refrigerator to protect and preserve foods longer and eliminate odor transfer.



FREEZE GUARD

Beko Freeze Guard technology uses an inverter compressor and electronic temperature control system to ensure the freezer continues to work in ambient temperatures as low as 5° F, without any loss of performance.*

*The fridge compartment will not work properly in low temperatures, so we recommend you only use the freezer compartment in low ambient temperatures.



28" Counter-Depth Bottom Freezer Refrigerator with Ice Maker

PERFORMANCE		
Fresh Food Temperature Range*	33° F to 46° F	
Freezer Temperature Range*	-11° F to 0° F	
Environment Temperature Range	Operates in Temperatures Between 32° F and 110° F	
Freeze Guard	Yes, Freezer Operates in Temperatures as Low as 5° F	
Modes	On/Off Power, On/Off Icemaker, Temperature Control, Quick Cool, Vacation, Economy	
Compressor	Variable Speed VCC	
ENERGY STAR® Certified	Yes	
Annual Energy Consumption	525 kwh/year	

FRESH FOOD FEATURES	
Water Filter with Alert (6 Months)	_
Crispers	1 - Full-Width
Full-Width Deli Drawer	_
Shelves	4 - Full-Depth, Safety Glass
Total Number of Door Bins	4
Gallon-Sized Door Bins	_
Egg Tray	Yes
Wine Rack	Yes
Odor Control Technology	lonGuard®
Sabbath Mode	_
Eco-Mode	Yes
Door Open Alarm	Yes
Interior Illumination	LED - Side Walls

FREEZER FEATURES		
Freezer Configuration	Swing Door	
Freezer Drawers / Baskets / Bins	2 Removable Drawers	
Freezer Shelves	1 - Safety Glass	
Freezer Interior Illumination	_	
Automatic Ice Maker	Yes, Makes up to 3 lbs./Day	
Auto Defrost	Yes	

TECHNICAL INFORMATION	
Volts / Frequency	120 V / 60 Hz
Rated Current (A)	2.4 A
Min. Circuit Breaker Size	15 Amp
Sound Level	47 dBA
Refrigerant Type	R600a
Plug Type	NEMA 3-Prong
Power Cord Length	6 ft.
Reversible Doors	Yes


DIMENSIONS & WEIGHT	
Product (H x W x D) (in)	75 1/2 x 27 9/ ₁₆ x 26 5/ ₈
Height With Hinge Cap	75 1 /2
Height Without Hinge Cap	74 15 /16
Depth With Handles	26 5/8
Depth Without Handles	26 5/8
Depth Without Doors	23 5/8
Carton (H x W x D) (in)	79 3/16 x 29 15/16 x 30 11/16
Product Weight (lbs)	182
Shipping Weight (lbs)	198.4


WARRANTY	
Entire Appliance (Parts & Labor)	2-year Full Warranty
Sealed System (Parts Only)	5-year Limited Warranty


^{*} Actual temperatures may vary with environment and other factors




28" Counter-Depth Bottom Freezer Refrigerator with Ice Maker








Electrical Location




Water Location (Models with Ice Maker)






28" Counter-Depth Bottom Freezer Refrigerator with Ice Maker



min. clearance between the top of refrigerator and alcove.



NOTE TO THE INSTALLER: All height, width, and depth dimensions are shown in inches (as well as metric). Beko U.S., Inc. reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Please visit our website, www.BekoAppliances.com, or call 888.352.2356 to verify the latest specifications with final dimensional data and other details prior to installation and making a cutout. Applicable product limited warranty information may be found in accompanying product materials, or you may contact your account manager for further details. Proper installation is the responsibility of the installer. Product failure due to improper installation is not covered under the Limited Warranty.