

30" Counter-Depth Bottom Freezer Refrigerator, Right Hinge





Also Available: BFBF30116SSIM - Stainless Steel, Ice Maker BFBF30116WHIM - White, Ice Maker





GENERAL PROPERTIES	
Туре	Freestanding
Style	Counter-Depth Bottom Freezer
Finish	Fingerprint-Free Stainless Steel with Finished Gray Sides
Handles	Flush Pocket Handle
Metal Back Wall	_
Cooling System	AeroFlow™
Control System	Electronic Controls
Control Display Type & Location	Digital LED Display on Front Top Trim
Connectivity	-

CAPACITY	
Total Net Volume	16.11 cu. ft.
Fresh Food Net Volume	10.89 cu. ft.
Freezer Net Volume	5.22 cu. ft.

HARVESTFRESH™

Proprietary 3-color light technology simulates the 24-hour cycle of the sun. By mimicking a full day of sunshine, produce has been proven to retain its vitamins and minerals for up to five days longer than ordinary refrigerators.

PREMIUM TECHNOLOGY



EVERFRESH+™

EverFresh+ technology keeps fresh food fresher three times longer than the average refrigerator – for up to 30 days! Meticulous temperature management and precise humidity control mean every stalk, head, or bunch you bought as a healthy option or key ingredient stays fresher longer.



FREEZE GUARD

Beko Freeze Guard technology uses an inverter compressor and electronic temperature control system to ensure the freezer continues to work in ambient temperatures as low as 5° F, without any loss of performance.*

^{*}The fridge compartment will not work properly in low temperatures, so we recommend you only use the freezer compartment in low ambient temperatures.



30" Counter-Depth Bottom Freezer Refrigerator, Right Hinge

PERFORMANCE	
Fresh Food Temperature Range*	33° F to 46° F
Freezer Temperature Range*	-11° F to 0° F
Environment Temperature Range	Operates in Temperatures Between 32° F and 110° F
Freeze Guard	Yes, Freezer Operates in Temperatures as Low as 5° F
Modes	Quick Freeze, Vacation Mode, Door Open Alarm, Sabbath Mode
Compressor	Variable Speed VCC
ENERGY STAR® Certified	Yes - Most Efficient for 2023
Annual Energy Consumption	355 kwh/year

FRESH FOOD FEATURES	
Crispers	2 - Humidity Controlled
EverFresh+™ Crispers	Yes
HARVESTfresh™ Crisper(s)	Yes
Full-Width Deli Drawer	Yes
Shelves	3 - Full-Depth, Safety Glass (2 Adjustable)
Total Number of Door Bins	5 (4 Half-Width, 1 Full-Width)
Gallon-Sized Door Bins	1
Dairy Compartment	Yes
Wine Rack	_
Odor Control Technology	_
Sabbath Mode	Yes
Eco-Mode	-
Door Open Alarm	Yes
Interior Illumination	LED on Ceiling

FREEZER FEATURES		
Freezer Configuration	Swing Door	
Freezer Drawers / Baskets / Bins	2 Removable Drawers	
Freezer Door Bins	_	
Freezer Interior Illumination	Yes	
Automatic Ice Maker	_	
Ice Maker Ready	_	
Ice Cube Tray	Yes	
Auto Defrost	Yes	

TECHNICAL INFORMATION		
Volts / Frequency	120 V / 60 Hz	
Rated Current (A)	2 A	
Min. Circuit Breaker Size	15 Amp	
Sound Level	43 dBA	
Refrigerant Type	R600a	
Plug Type	NEMA 3-Prong	
Power Cord Length	6 ft.	
Reversible Doors	Yes	

DIMENSIONS & WEIGHT	
Product (H x W x D) (in)	69 11/ ₁₆ x 29 3/ ₄ x 27 9/ ₁₆
Height With Hinge Cap	69 11 / 16
Height Without Hinge Cap	681/2
Depth With Handles	27 9/16
Depth Without Handles	27 9/16
Depth Without Doors	24 7 / 1 6
Carton (H x W x D) (in)	73 x 32 x 30 1/2
Product Weight (lbs)	208
Shipping Weight (lbs)	233


WARRANTY	
Entire Appliance (Parts & Labor)	2-year Full Warranty
Sealed System (Parts Only)	5-year Limited Warranty


Page 2 of 4


 $[\]mbox{\ensuremath{^{\star}}}$ Actual temperatures may vary with environment and other factors




30" Counter-Depth Bottom Freezer Refrigerator, Right Hinge








Electrical Location





30" Counter-Depth Bottom Freezer Refrigerator, Right Hinge



NOTE TO THE INSTALLER: All height, width, and depth dimensions are shown in inches (as well as metric). Beko U.S., Inc. reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Please visit our website, www.BekoAppliances.com, or call 888.352.2356 to verify the latest specifications with final dimensional data and other details prior to installation and making a cutout. Applicable product limited warranty information may be found in accompanying product materials, or you may contact your account manager for further details. Proper installation is the responsibility of the installer. Product failure due to improper installation is not covered under the Limited Warranty.