

2021 Collection



beko
Live like a Pro



Fresher produce. Easier cooking. Quieter cleanup. Well-cared-for clothes. From the kitchen to the laundry, live like a pro. Beko is committed to creating thoughtful, beautiful, efficient solutions that empower families to live healthier, balanced lives.

Join Europe's #1 brand and millions of Beko consumers across the globe and experience forward-thinking technology. For four consecutive years, Beko has received the ENERGY STAR® Partner of the Year Award for delivering cutting-edge home appliances that lead the industry in energy efficiency.

Beko. It's what you and your family want to come home to.





ENERGY STAR® PARTNER OF THE YEAR

Beko achieved the highly coveted 2021 ENERGY STAR® Sustained Excellence Award (also in 2019), the program's highest distinction conferred for winning four consecutive ENERGY STAR® Partner of the Year Awards (2017, 2018, 2019). Beko is the first appliance manufacturer introduced in the U.S. market to achieve this.



BUILT BY PROS

Beko's top-notch components—durable materials, detailed craftsmanship, and best-in-class manufacturing—allow us to make professionally built, premium products so you can live like a pro.

CUSTOMER SERVICE

For dedicated customer service on any Beko product, please call 888.352.BEKO (2356) or contact us at [beko.com/us-en](https://www.beko.com/us-en)

WARRANTY

All Products: 2-year Full Warranty
Sealed System Parts Only: 5-year Warranty
ProSmart Inverter Motor: 10-year Warranty





start living...
LIKE A PRO

Cooking..... 08

Refrigerators..... 28

Freezers 40

Dishwashers..... 42

Compact Laundry 54

Technical Details..... 62



CARBON FIBER

COLLECTION



- Scratch-resistant
- Heat Resistant
- Bold, Matte Look
- Professional Quality

Carbon Fiber has long been prized for its amazing durability and distinctive hexagonal pattern. Our new collection puts this luxury material at the heart of your kitchen.



PRO TIP:

Use these icons to identify which features are available on each type of cooking device.

Ⓖ GAS

Ⓘ INDUCTION

Ⓔ ELECTRIC

ⒹF DUEL FUEL



Our fresh technology helps turn good-for-you ingredients into great meals. Craft evenly cooked and flavorful meals every time for weeknight favorites or holiday feasts the whole family will enjoy. Beko's range of cooking appliances will be there to bring the heat.

COOKING



20,000 BTU DUAL POWER BURNER

Go from a true simmer to high heat with our power burner. Use the full 20,000 BTUs for a crispy sear, then lower the heat to finish cooking the perfect entrée. Turn the burner to low and melt chocolate at a perfect 675 BTU for that smooth, rich flavor. This powerful burner delivers precise cooking at just the right temperature.

  Only available on pro ranges.



SURF CONVECTION

Beko Surf Convection provides multilevel cooking. No more worrying about uneven heat or rotating dishes from rack to rack. Our SURF Convection fan ensures air circulates from the side and back walls to provide uniform airflow and cook foods more evenly, keeping flavors fresh without aromas mingling.  





FULL EXTENSION TELESCOPIC LOWER RACK

Safely and smoothly move your dishes from the oven to the table with this smooth-gliding lower telescopic roller rack. Capable of supporting your heaviest cast iron skillet, Beko's full extension lower rack makes accessing that hefty lasagna much easier.

Ⓜ Ⓜ Ⓜ Ⓜ Ⓜ



CONTINUOUS GRATES

From a veggie stir-fry and seared steaks to scrambled eggs and pancakes, cook dishes evenly and move between burners easily with these continuous grates.

Ⓜ Ⓜ



XL INTERIOR VOLUME 5.7 CUBIC FEET

For the cook who enjoys some extra elbow room, Beko's oven interiors are the most spacious in their class. With an industry-leading 5.7 cu. ft. interior volume, you'll have more than enough room for the caramelized vegetables and tender roast at your next dinner party. Ⓜ Ⓜ Ⓜ Ⓜ Ⓜ



INNOVACHEF SMART DISPLAY

Intuitive touch controls clearly display features and important cooking information so you know the precise setting, temperature, and timing for your next delicious meal. (G)(E)(DF)

PRIME TURKEY COOKING Get perfect results with Beko's preset cooking programs, including Prime Turkey Cooking. No one has to know how easy Beko makes Thanksgiving!

BREAD PROOFING For perfect bread every time, serious bakers will certainly appreciate the preset bread proofing option.



INDUCTION

Superior technology allows you to cook with the most accurate temperature readings and response times—low is low, high is high, and all immediately at your touch. Start cooking with the technology your favorite professional chefs demand. (I)



RESIDUAL HEAT INDICATOR

Highly visible cooktop indicators alert you when the cooking zone is too hot to touch safely. (E)(I)



AUTO REIGNITION

Should the burners accidentally extinguish while you're cooking, this premium feature will automatically reignite your Beko gas burner. (G)(DF)



XL COOKTOP SURFACE

For the consummate multitasker, Beko's XL Cooktop Surface fits four 10" pots. Just think of the time you'll save having several pots cooking at once. (G) (I) (E) (DF)



10,000 BTU CENTRAL BURNER

Perfect for oversized pots or our griddle accessory. Ideal for large dinner parties or prepping meals ahead of time, our center burner supports oversized pots and applies heat evenly. Add the griddle accessory for more flexibility, whether it's a pancake breakfast or flank steak fajitas. (G) (DF)



12" XL COOKING ZONE

The ample space reduces the chance of burns while sautéing vegetables, simmering sauces, and boiling broth. Enjoy faster boiling and more efficient cooking in any size pot, courtesy of our expansive surfaces. (I) (E)



DUAL SIMMERING POWER BURNERS

The ability to switch from high heat to a true simmer is the key to your culinary success. Take advantage of the ultimate cooking flexibility with our Dual Simmering Power Burners for precise cooking at low temperatures. (G) (DF)



TRUE EUROPEAN CONVECTION

For faster baking and broiling, True European Convection uses an innovative heated fan system to distribute heat evenly throughout the oven. (I) (E) (DF)



MEAT PROBE

Always know the precise internal temperature of large cuts of meat with this convenient tool. And with your oven's automatic turnoff, you'll enjoy the perfect level of doneness, every time. (E) (DF) (G)



INTERIOR HALOGEN LIGHTING

Elegant dual halogen lights make it easy to see what's cooking in Beko's bright oven interior. (G I E DF)



3 HEAVY-DUTY OVEN RACKS

Three sturdy wire racks support multiple dishes so you can cook your cauliflower risotto and your twice-baked potatoes at the same time. Capable of handling thin cookie sheets and heavy cast iron skillets, these durable racks will withstand a lifetime of delicious meal prep.

(G I E DF)



PROGRAMMABLE SELF-CLEAN

Even if you love to cook, you probably don't love to clean your oven. Save time and energy with Beko's self-cleaning function. No need for harsh detergents or chemicals. Simply choose between three levels of self-cleaning, and even your toughest stains will be reduced to a fine ash that's easily wiped away. (G I E DF)



EASY-TO-CLEAN ENAMEL INTERIOR

Our oven interiors not only have clean lines, but they have an easily cleaned interior as well. Use a damp cloth on the long-lasting, nonporous enamel finish to easily wipe away spills to keep the attractive interior looking like new. (G I E DF)



EASY-TO-CLEAN ENAMEL BURNER PLATE

Spills happen—even trained chefs make a mess—so don't let cleanup hold you back from cooking up something new. The enamel surface on any Beko Range is every bit as easy to clean as it is beautiful. (G DF)



PROFESSIONAL DESIGN

You don't need an iF Design award to know your oven is the warm heart of your home, but it is a lot easier cooking like a pro on your award-winning professional range. (iF Design awards have been globally recognizing design excellence for more than 65 years.) (G I E DF)





STORAGE DRAWER FULL EXTENSION

Our ranges are meant to inspire creativity with removable racks that support dishes of any size. Enjoy easy access to the full extension storage drawer to hold oven wire racks when they aren't in use.

Only available on our 24" Electric Range.



WARMING DRAWER FULL EXTENSION

Keep your dishes warm before serving with this convenient warming drawer. It extends for easy access, so you won't have to reach far when you go to plate your meal.  



BAKING DRAWER FULL EXTENSION

Perfect for the consummate baker, this convenient, full-extension drawer gives you 1.0 cu. ft. of extra oven capacity for baking up to 425°F. 

Features available on select models only.





30" Pro-style Carbon Fiber Induction Range

PRIR34450CF

Features

- SURF Convection
- XL Interior Volume (5.7 cu. ft.)
- Professional Design
- 4 Induction Cooking Zones
- XL Cooking Zone
- Self-clean (Programmable)
- Cool-touch Door
- Interior Halogen Lighting
- Easy-to-clean Enamel Interior
- Full Extension Lower Telescopic Rack
- Sabbath Mode
- 3 Heavy-duty Oven Racks with Wraparound Tines
- Knob Illumination
- Broiler Pan

Finish

Scratch-resistant Carbon Fiber Door

Optional Accessories

- Side Trim Kit

Dimensions (H x W x D)

36 x 29 ¹³/₁₆ x 29 ¹/₂ in.

Height includes 1 ¹/₂ inches for backguard.
Depth includes knobs and handle.



30" Pro-style Induction Range

PRIR34450SS

Features

- SURF Convection
- XL Interior Volume (5.7 cu. ft.)
- Professional Design
- 4 Induction Cooking Zones
- XL Cooking Zone
- Self-clean (Programmable)
- Cool-touch Door
- Interior Halogen Lighting
- Easy-to-clean Enamel Interior
- Full Extension Lower Telescopic Rack
- Sabbath Mode
- 3 Heavy-duty Oven Racks with Wraparound Tines
- Knob Illumination
- Broiler Pan

Finish

Stainless Steel

Optional Accessories

- Side Trim Kit

Dimensions (H x W x D)

36 x 29 ¹³/₁₆ x 29 ¹/₂ in.

Height includes 1 ¹/₂ inches for backguard.
Depth includes knobs and handle.



30" Pro-style Carbon Fiber Dual Fuel Range

PRDF34550CF

Features

- SURF Convection
- XL Interior Volume (5.7 cu. ft.)
- Professional Design
- Dual 20,000 BTU Power Burners
- 10,000 BTU Central Oval Burner
- 5 Gas Burners
- XL Cooktop Surface
- Auto Reignition
- Self-clean (Programmable)
- Cast Iron Continuous Pan Supports
- Cool-touch Door
- Interior Halogen Lighting
- Easy-to-clean Enamel Interior
- Full Extension Lower Telescopic Rack
- Sabbath Mode
- 3 Heavy-duty Oven Racks with Wraparound Tines
- Knob Illumination
- LPG Conversion Kit
- Broiler Pan
- Wok Adapter

Finish

Scratch-resistant Carbon Fiber Door

Optional Accessories

- Griddle
- Side Trim Kit

Dimensions (H x W x D)

36 x 29 ¹³/₁₆ x 29 ¹/₂ in.

Height includes 1½ inches for backguard.
Depth includes knobs and handle.



30" Pro-style Dual Fuel Range

PRDF34550SS

Features

- SURF Convection
- XL Interior Volume (5.7 cu. ft.)
- Professional Design
- Dual 20,000 BTU Power Burners
- 10,000 BTU Central Oval Burner
- 5 Gas Burners
- XL Cooktop Surface
- Auto Reignition
- Self-clean (Programmable)
- Cast Iron Continuous Pan Supports
- Cool-touch Door
- Interior Halogen Lighting
- Easy-to-clean Enamel Interior
- Full Extension Lower Telescopic Rack
- Sabbath Mode
- 3 Heavy-duty Oven Racks with Wraparound Tines
- Knob Illumination
- LPG Conversion Kit
- Broiler Pan
- Wok Adapter

Finish

Stainless Steel

Optional Accessories

- Griddle
- Side Trim Kit
- Backguard

Dimensions (H x W x D)

36 x 29 ¹³/₁₆ x 29 ¹/₂ in.

Height includes 1½ inches for backguard.
Depth includes knobs and handle.



30" Pro-style Carbon Fiber Gas Range

PRGR34550CF

Features

- XL Interior Volume (5.7 cu. ft.)
- Professional Design
- Dual 20,000 BTU Power Burners
- 10,000 BTU Central Oval Burner
- 13,000 BTU per hour Gas Broiler
- 5 Gas Burners
- XL Cooktop Surface
- Auto Reignition
- Self-clean (Programmable)
- Cast Iron Continuous Pan Supports
- Cool-touch Door
- Interior Halogen Lighting
- Gas Safety Valve
- Easy-to-clean Enamel Interior
- Full Extension Lower Telescopic Rack
- Sabbath Mode
- 3 Heavy-duty Oven Racks with Wraparound Tines
- Knob Illumination
- LPG Conversion Kit
- Broiler Pan
- Wok Adapter
- Meat Probe

Finish

Scratch-resistant Carbon Fiber Door

Optional Accessories

- Griddle
- Side Trim Kit

Dimensions (H x W x D)

36 x 29 ¹³/₁₆ x 29 ¹/₂ in.

Height includes 1½ inches for backguard.
Depth includes knobs and handle.



30" Pro-style Gas Range

PRGR34550SS

Features

- XL Interior Volume (5.7 cu. ft.)
- Professional Design
- Dual 20,000 BTU Power Burners
- 10,000 BTU Central Oval Burner
- 13,000 BTU per hour Gas Broiler
- 5 Gas Burners
- XL Cooktop Surface
- Auto Reignition
- Self-clean (Programmable)
- Cast Iron Continuous Pan Supports
- Cool-touch Door
- Interior Halogen Lighting
- Gas Safety Valve
- Easy-to-clean Enamel Interior
- Full Extension Lower Telescopic Rack
- Sabbath Mode
- 3 Heavy-duty Oven Racks with Wraparound Tines
- Knob Illumination
- LPG Conversion Kit
- Broiler Pan
- Wok Adapter
- Meat Probe

Finish

Stainless Steel

Optional Accessories

- Griddle
- Side Trim Kit
- Backguard

Dimensions (H x W x D)

36 x 29 ¹³/₁₆ x 29 ¹/₂ in.

Height includes 1 ¹/₂ inches for backguard.
Depth includes knobs and handle.



30" Slide-in Dual Fuel Range

SLDF30540SS

Features

- SURF Convection
- XL Interior Volume (5.7 cu. ft.)
- Dual 18,000 BTU Power Burners
- 10,000 BTU Central Oval Burner
- 5 Gas Burners
- InnovaChef Smart Display
- XL Cooktop Surface
- Auto Reignition
- Self-clean (Programmable)
- Cast Iron Continuous Pan Supports
- Cool-touch Door
- Interior Halogen Lighting
- Easy-to-clean Enamel Interior
- Full Extension Lower Telescopic Rack
- Full Extension Baking Drawer (200-520°F)
- Sabbath Mode
- 3 Heavy-duty Oven Racks with Wraparound Tines
- LPG Conversion Kit
- Meat Probe
- Broiler Pan
- Wok Adapter

Finish

Stainless Steel

Optional Accessories

- Griddle
- Side Trim Kit
- Backguard

Dimensions (H x W x D)

36 x 29 ¹³/₁₆ x 29 ¹/₂ in.

Height includes 1 ¹/₂ inches for backguard.
Depth includes knobs and handle.



30" Slide-in Gas Range

SLGR30530SS

Features

- XL Interior Volume (5.7 cu. ft.)
- 18,000 BTU Power Burner
- 10,000 BTU Central Oval Burner
- 13,000 BTU per hour Gas Broiler
- 5 Gas Burners
- InnovaChef Smart Display
- XL Cooktop Surface
- Auto Reignition
- Self-clean (Programmable)
- Cast Iron Continuous Pan Supports
- Cool-touch Door
- Interior Halogen Lighting
- Gas Safety Valve
- Easy-to-clean Enamel Interior
- Full Extension Lower Telescopic Rack
- Full Extension Warming Drawer (150–200°F)
- Sabbath Mode
- 3 Heavy-duty Oven Racks with Wraparound Tines
- LPG Conversion Kit
- Broiler Pan
- Wok Adapter

Finish

Stainless Steel

Optional Accessories

- Griddle
- Side Trim Kit
- Backguard

Dimensions (H x W x D)

36 x 29 ¹³/₁₆ x 29 ¹/₂ in.

Height includes 1½ inches for backguard.
Depth includes knobs and handle.



30" Slide-in Electric Range

SLER30530SS

Features

- True European Convection
- XL Interior Volume (5.7 cu. ft.)
- 5 Vitroceramic Cooking Zones
- InnovaChef Smart Display
- XL Cooktop Surface
- 12" XL Cooking Zone
- Self-clean (Programmable)
- Cool-touch Door
- Interior Halogen Lighting
- Residual Heat Indicator
- Easy-to-clean Enamel Interior
- Full Extension Lower Telescopic Rack
- Full Extension Warming Drawer (150–200°F)
- Sabbath Mode
- 3 Heavy-duty Oven Racks with Wraparound Tines
- Meat Probe
- Broiler Pan

Finish

Stainless Steel

Optional Accessories

- Side Trim Kit
- Backguard

Dimensions (H x W x D)

36 x 29 ¹³/₁₆ x 29 ¹/₂ in.

Height includes 1½ inches for backguard.
Depth includes knobs and handle.



24" Slide-in Electric Range

SLER24410SS

Features

- Large Oven Capacity (2.51 cu. ft.)
- 4 Vitroceramic Cooking Zones
- Interior Illumination
- Residual Heat Indicator
- Easy-to-clean Enamel Interior
- Full Extension Lower Telescopic Rack
- Storage Drawer
- 5 Level Oven Side Racks
- 2 Wire Oven Racks

Finish

Stainless Steel

Optional Accessories

- Backguard

Dimensions (H x W x D)

35 ⁷/₁₆ x 23 ⁵/₈ x 23 ⁵/₈ in.

Height includes 1½ inches for backguard.
Depth includes knobs and handle.



24" Slide-in Gas Range

SLGR24410SS

Features

- 7,400 BTU per hour Gas Broiler
- Large Oven Capacity (2.51 cu. ft.)
- 4 Gas Burners
- Cast Iron Continuous Pan Supports
- Interior Illumination
- Gas Safety Valve
- Easy-to-clean Enamel Interior
- 2 Wire Oven Racks
- LPG Conversion Kit

Finish

Stainless Steel

Dimensions (H x W x D)

35 ⁷/₁₆ x 23 ⁵/₈ x 23 ⁵/₈ in.

Height includes 1½ inches for backguard.
Depth includes knobs and handle.





30" Built-in Carbon Fiber Wall Oven

WOS30200CF

Features

- SURF Convection
- XL Interior Volume (5.7 cu. ft.)
- InnovaChef Smart Display
- Multicolor LED Display
- Self-clean (Programmable)
- Cool-touch Door
- Inner Illumination
- Full Extension Lower Telescopic Rack
- Sabbath Mode
- 2 Heavy-duty Oven Racks with Wraparound Tines
- Display Lock
- Booster
- 12 Cooking Functions
- Meat Probe
- Broiler Pan

Finish

Scratch-resistant Carbon Fiber Door

Dimensions (H x W x D)

28 ⁷/₈ x 29 ³/₄ x 24 ⁷/₁₆ in.



30" Built-in Stainless Steel Wall Oven

WOS30100SS

Features

- SURF Convection
- XL Interior Volume (5.7 cu. ft.)
- InnovaChef Smart Display
- Multicolor LED Display
- Self-clean (Programmable)
- Cool-touch Door
- Inner Illumination
- Full Extension Lower Telescopic Rack
- Sabbath Mode
- 2 Heavy-duty Oven Racks with Wraparound Tines
- Display Lock
- Booster
- 12 Cooking Functions
- Meat Probe
- Broiler Pan

Finish

Stainless Steel

Dimensions (H x W x D)

28 ⁷/₈ x 29 ³/₄ x 24 ⁷/₁₆ in.



24" Built-in Stainless Steel Wall Oven

WOS24102SS

Features


- Large Oven Capacity (2.51 cu. ft.)
- LED Display with 2-Knob Control
- Inner Illumination
- 2 Wire Oven Racks
- Display Lock
- 3-D Cooking
- Electric Grill
- Cooling Fan
- Multifunctional Cooking
- 8 Cooking Functions

Finish

Stainless Steel

Dimensions (H x W x D)

23 ⁷/₁₆ x 23 ⁵/₈ x 22 ⁵/₁₆ in.



36" Induction Built-in Cooktop BCTI36510

Features

- 5 Induction Cooking Zones
- 12" XL Cooking Zone
- Red LED Display: Slide Control
- Display Lock
- Child Lock
- Residual Heat Indicator
- Pan Detection System
- Timer
- 9 Cooking Levels
- On/Off Light
- Booster

Finish


Frameless Black Glass

Dimensions (H x W x D)

2 3/8 x 34 5/8 x 20 7/16 in.

Cutout Dimensions (W x D)

31 7/8 x 19 5/16 in.



30" Induction Built-in Cooktop BCTI30410

Features

- 4 Induction Cooking Zones
- 12" XL Cooking Zone
- Red LED Display: Slide Control
- Display Lock
- Child Lock
- Residual Heat Indicator
- Pan Detection System
- Timer
- 9 Cooking Levels
- On/Off Light
- Booster

Finish

Frameless Black Glass

Dimensions (H x W x D)

2 3/8 x 30 11/16 x 20 7/16 in.

Cutout Dimensions (W x D)

29 1/2 x 19 5/16 in.





30" Gas Built-In Rangetop
PRGRT30500SS

Features

- 18,000 BTU Front Power Burners
- 10,000 BTU Rear Power Burners
- 12,000 BTU Central Power Burner
- 5 Gas Burners
- Auto Re-ignition
- Cast Iron Continuous Pan Supports
- Gas Safety Device
- Sealed Burners
- Knob Control with Illumination

Finish

Stainless Steel

Optional Accessories

- Side Trim Kit

Dimensions (H x W x D)

7 ⁷/₁₆ x 30 x 27 ⁹/₁₆ in.

Cutout Dimensions (W x D)

7 ⁷/₃ x 30 x 24 ¹³/₁₆ in.



36" Gas Built-in Cooktop
BCTG36500SS

Features

- 18,000 BTU Center Power Burner
- 5 Gas Burners (4 standard + 1 wok)
- Auto Reignition
- Cast Iron Continuous Pan Supports
- Gas Safety Device
- Knob Control with Illumination
- Child Lock

Finish

Stainless Steel

Dimensions (H x W x D)

3 ¹³/₁₆ x 36 x 21 ¹/₄ in.

Cutout Dimensions (W x D)

34 x 19 ⁵/₁₆ in.





30" Gas Built-in Cooktop BCTG30500SS

Features

- 18,000 BTU Center Power Burner
- 5 Gas Burners (4 standard + 1 wok)
- Auto Reignition
- Cast Iron Continuous Pan Supports
- Gas Safety Device
- Knob Control with Illumination

Finish

Stainless Steel

Dimensions (H x W x D)

3 ⁷/₈ x 29 ¹⁵/₁₆ x 21 ¹/₄ in.

Cutout Dimensions (W x D)

28 ³/₈ x 19 ⁵/₁₆ in.



24" Gas Built-in Cooktop BCTG24400SS

Features

- 10,000 BTU Rear Power Burner
- 4 Gas Burners
- Integrated Ignition
- Cast Iron Continuous Pan Supports
- Gas Safety Device

Finish

Stainless Steel

Dimensions (H x W x D)

1 ¹³/₁₆ x 22 ¹³/₁₆ x 20 ¹/₁₆ in.

Cutout Dimensions (W x D)

22 ¹/₁₆ x 19 ⁵/₁₆ in.



Accessible Design

Being ADA compliant means that Beko cooktops are safer and easier to use. Each cooktop has easily accessible front-control knobs that do not require you to reach across a hot surface. Operating the unit is a breeze and can be done with one hand, as the force required is equal to or less than five pounds. Additionally, exposed surfaces of the unit are insulated to prevent accidents.







30" Electric Built-in Cooktop

ECTM30102

Features

- 4 Vitroceramic Burners
- Digital Display
- Child Lock
- Residual Heat Indicator
- LED Display: Touchslider Control
- Overflow Safety
- Automatic Shutoff
- Overheat Safety System
- Timer
- 19 Cooking Levels

Finish


- Tempered Black Glass
- Framed

Dimensions (H x W x D)

3 1/2 x 30 x 20 1/2 in.

Cutout Dimensions (W x D)

28 11/16 x 19 19/64 in.



24" Electric Built-in Cooktop

ECTM24102

Features

- 4 Vitroceramic Burners
- Digital Display
- Child Lock
- Residual Heat Indicator
- Overflow Safety
- Automatic Shutoff
- Overheat Safety System
- Timer
- 9 Cooking Levels

Finish

- Tempered Black Glass
- Framed

Dimensions (H x W x D)

2 5/8 x 24 3/16 x 20 15/16 in.

Cutout Dimensions (W x D)

22 13/16 x 19 5/8 in.





30" Under Cabinet Graphite Finish Professional Range Hood

CHP30100CF

Features

- 600 CFM Extraction Power with 4 Fan Speed Levels
- Variable External Ducting Options
- Professional Stainless Steel Baffle Filters
- 2,50 W Halogen Lights

Finish

Graphite Finish—
Matches Carbon Fiber Products

Dimensions (H x W x D)

18 ³/₈ x 29 ⁵/₁₆ x 23 in.

Max Height Range for Installation:
30" electric, 36" gas



30" Under Cabinet Stainless Steel Professional Range Hood

CHP30100SS

Features

- 600 CFM Extraction Power with 4 Fan Speed Levels
- Variable External Ducting Options
- Professional Stainless Steel Baffle Filters
- 2,50 W Halogen Lights

Finish

Stainless Steel

Dimensions (H x W x D)

18 ³/₈ x 29 ⁵/₁₆ x 23 in.

Max Height Range for Installation:
30" electric, 36" gas



30" Under Cabinet Range Hood

CHS30100SS

Features

- 250 CFM Extraction Power with 3 Fan Speed Levels
- Direct Ducting or Ductless Operation Available with Recirculator Kit
- Dishwasher-safe Filters
- 2,50 W Halogen Lights with Surface Light Adjustable Illumination

Finish

Stainless Steel

Dimensions (H x W x D)

4 ³/₄ x 29 ⁵/₁₆ x 20 in.

Max Height Range for Installation:
24" electric, 30" gas



30" Over the Range Convection Microwave

MWOTR30200CSS

Features

- Convection Cooking
- 300 CFM Extraction Power
- Large Interior Capacity (1.5 cu. ft.)
- Stainless Steel Interior
- Split Cooking
- Multitouch Control
- Glass Turntable
- Quick Start
- Cooktop Light

Finish

Stainless Steel

Dimensions (H x W x D)

16 ⁷/₁₆ x 31 ⁷/₁₆ x 15 ¹/₁₆ in.



30" Over the Range Microwave

MWOTR30102SS

Features

- 300 CFM Extraction Power
- Large Interior Capacity (1.6 cu. Ft.)
- Stainless Steel Interior
- Multitouch Control
- Glass Turntable
- Quick Start
- Cooktop Light

Finish

Stainless Steel

Dimensions (H x W x D)

16 ⁵/₁₆ x 29 ⁷/₈ x 15 ⁷/₈ in.



24" Built-in Microwave Drawer

MWDR24100SS

Features

- 950 W Output Power
- Large Interior Capacity (1.2 cu. ft.)
- Easy Touch, Auto Open Drawer
- Interior Light
- 12 Auto Cook Functions
- 10 Power Levels
- Flush Mount

Finish

Stainless Steel with Black Glass

Dimensions (H x W x D)

15 ³/₄ x 23 ⁷/₈ x 23 ¹/₁₆ in.

ACCESSORIES



Griddle—Cast Aluminum with Nonstick Coating G3001

The optional griddle accessory for the center burner adds to your cooking experience with versatile options.



Side Trim Kit OW3001 (STAINLESS STEEL) OW3002 (BLACK)

Side trim fills the gaps between the counter and the range for a more professional look. Available for all 30" models.




Wok Ring 119240080

This ring adapter can be added to your range to assist when using a wok pan by holding the pan in place. It's conveniently included on 30" Beko Gas and Dual Fuel Ranges.



9" Backguards for 30" Ranges BG3003 (FOR 30" GAS & DUAL FUEL RANGES) BG3004 (FOR 30" ELECTRIC RANGES)



4" Backguard for 24" Ranges BG2401



Advanced technology, professional design, and energy efficient—
our refrigerators have a full stock of fresh solutions! From independent cooling
systems for better control, to keeping your vegetables fresher longer,
Beko keeps the most essential part of the kitchen the most reliable.

REFRIGERATORS



EVERFRESH+ WITH ACTIVE FRESH BLUE LIGHT

EverFresh+ technology keeps fresh food fresher up to three times longer than the average refrigerator—for up to 30 days!*

Fruits and vegetables retain vitamins and nutrients with this amazing technology that simulates natural light conditions, extending the photosynthesis process in your refrigerator. Meticulous temperature management and precise humidity control mean every stalk, head, or bunch you bought as a healthy option or key ingredient stays fresher longer.


*Tested by SGS (compared to standard crisper for broccoli and lettuce).





TURBO ICE MAKER

When you first come inside on a hot day, pour drinks for the crew after practice, or entertain friends and family, you count on your refrigerator to have plenty of ice on hand. That's why the Beko Turbo Ice Maker can generate a cool 11 pounds of ice in just 24 hours—that's an industry-leading ice making capacity.



FIELD REVERSIBILITY OF DOORS

To fit your kitchen design, select Beko refrigerators include our convenient field-reversible hinges so you can choose the door opening direction at installation. It's your choice, open the possibilities in your kitchen.



IONGUARD

Advanced IonGuard technology creates a fresh-air environment inside your refrigerator to protect and preserve foods longer and help eliminate odors.



FINGERPRINT-FREE STAINLESS STEEL

Beko's fingerprint-free stainless steel surfaces are easy to clean and keep your kitchen looking smudge-free and beautiful.



NEOFROST DUAL COOLING TECHNOLOGY

Unlike conventional single-cooling systems, NeoFrost cools twice as fast with two separate cooling systems that maintain optimal humidity in the fridge while keeping the freezer frost-free.



FLEXIBLE STORAGE CAPACITY

From party platters and 2-liter bottles to gourmet cheeses, your refrigerator keeps a wide variety of items visible and accessible. With height-adjustable cantilever shelves, gallon bins, and extra-large capacity drawers, Beko refrigerators are up to the task.



ZONE TEMPERATURE ADJUSTABILITY

High-tech temperature controls provide precise adjustability for preserving your food in french door refrigerator models.



INTERIOR FILTERED WATER DISPENSER

Our innovative interior dispenser gives you convenient access to the filtered water you love while maintaining the refrigerator's clean exterior lines. Not to mention the filter is hidden in plain sight of the interior, providing easy access for filter changes.



SABBATH MODE

It's easy to set and doesn't interfere with normal operation. The lights inside the refrigerator and freezer stay off when the door is opened during Sabbath Mode.



INTERIOR THEATER LIGHTING

Highly efficient, long-lasting LED lights are strategically placed along walls and in the ceiling within our 36" refrigerators to illuminate every shelf separately and provide uniform lighting.



XL ICE SCOOP

Our extra-large ice scoop makes it easy to get as much ice as you need.



INNER DIGITAL DISPLAY

Easy-to-read inner digital display allows you to quickly adjust your cooling and freezing settings on bottom freezer refrigerator models.



INTERIOR LED LIGHTING

LED lights provide efficient, uniform lighting throughout Beko refrigerator interiors.



AUTOMATIC ICE MAKER

Beko's Automatic Ice Maker can generate 6 pounds of ice per day, avoiding the need to fill old-fashioned ice trays by hand. Ice makers in some of our 36" models produce up to 11 pounds of ice per day.



ICE & WATER DISPENSER ON DOOR

With one convenient dispenser on our side-by-side refrigerator, you won't have to open the door to enjoy chilled water, ice cubes, or crushed ice. Simply select, press, and go!



COUNTER-DEPTH DESIGN

Your refrigerator's design shouldn't stand out from the rest of your kitchen décor. Beko refrigerator models with the counter-depth design option blend seamlessly with your existing kitchen cabinets for a clean, uniform look.



PROFESSIONAL DESIGN

The perfect complement to your kitchen, Beko refrigerators are thoughtfully designed to fit seamlessly into the rhythms of your family's life. Beko refrigerators are easy to clean, easy to use, and even easier to love.



MULTIZONE

Take the hassle out of storing the ingredients for your next dinner party with your Beko french 4-door refrigerator's Multizone feature. The split freezer can easily switch from freeze to refrigerate, creating a Quick Chill Zone to rapidly cool wine and dessert to the ideal temperature.

Features available on select models only.





30" Carbon Fiber Built-in Bottom Freezer Refrigerator with Ice Maker

BBBF3019IMWECF

Features

- EverFresh+
- Active Fresh Blue Light Technology
- Turbo Ice Maker (11 lbs./day)
- Field Reversible Door
- NeoFrost Dual Cooling Technology
- Flexible Storage Capacity
- IonGuard
- Internal Filtered Water Dispenser
- Electronic Control
- Sabbath Mode
- Vacation Mode
- Inner Digital Display
- Interior LED Lighting
- XL Pantry Drawer

Capacities

- Fresh Food: 11.6 cu. ft.
- Freezer: 4.8 cu. ft.
- Total: 16.4 cu. ft.

Finish

Scratch-resistant Carbon Fiber Door

Dimensions (H x W x D)

83 1/2 x 29 3/4 x 24 in.



CEE Tier 1



30" Built-in Bottom Freezer Refrigerator with Ice Maker

BBBF3019IMWESS

Features

- EverFresh+
- Active Fresh Blue Light Technology
- Turbo Ice Maker (11 lbs./day)
- Field Reversible Door
- NeoFrost Dual Cooling Technology
- Flexible Storage Capacity
- IonGuard
- Internal Filtered Water Dispenser
- Electronic Control
- Sabbath Mode
- Vacation Mode
- Inner Digital Display
- Interior LED Lighting
- XL Pantry Drawer

Capacities

- Fresh Food: 11.6 cu. ft.
- Freezer: 4.8 cu. ft.
- Total: 16.4 cu. ft.

Finish

Stainless Steel

Dimensions (H x W x D)

83 1/2 x 29 3/4 x 24 in.

Depth is without panel / without handles.



CEE Tier 1

Additional Option:

BBBF3019IMWE Panel Ready



22" Built-in Bottom Freezer Refrigerator with Ice Maker

BBBF2410IM

Features

- Auto Ice Maker (6 lbs./day)
- Field Reversible Door
- NeoFrost Dual Cooling Technology
- 3-D Panel Door Adjustment
- Electronic Control
- Vacation Mode
- Zone Temperature Adjustability
- Digital Display on Front Top Trim
- Interior LED Lighting
- 3 Freezer Drawers

Capacities

- Fresh Food: 6.1 cu. ft.
- Freezer: 1.9 cu. ft.
- Total: 8 cu. ft.

Finish

Panel Ready Design

Dimensions (H x W x D)

71 1/2 x 21 7/8 x 21 7/16 in.

Depth is without panel / without handles.
Need to order separate kitchen cabinet door from your cabinet manufacturer.



CEE Tier 1





36" French 4-Door Refrigerator with Ice Maker

BFFD3626SS

Features

- EverFresh+
- Active Fresh Blue Light Technology
- Auto Ice Maker (6 lbs./day)
- NeoFrost Trio Cooling Technology
- IonGuard
- Internal Filtered Water Dispenser
- MultiZone—bottom right compartment can be either a refrigerator or freezer
- Electronic Control
- Zone Temperature Adjustability
- Digital Display on Front Top Trim
- Interior LED Theater Lighting
- XL Pantry Drawer
- Height-adjustable Cantilever Shelves
- Counter-depth Professional Design

Capacities

- Fresh Food: 13.3 cu. ft.
- Freezer: 6.47 cu. ft.
- Total: 19.77 cu. ft.

Finish

Fingerprint-free Stainless Steel

Dimensions (H x W x D)

71 5/8 x 35 3/4 x 31 in.

Depth is with door / without handles.



CEE Tier 1



36" French Door Refrigerator with Ice Maker

BFFD3624SS

Features

- EverFresh+
- Active Fresh Blue Light Technology
- Turbo Ice Maker (11 lbs./day)
- NeoFrost Dual Cooling Technology
- IonGuard
- Internal Filtered Water Dispenser
- Electronic Control
- Sabbath Mode
- Vacation Mode
- Zone Temperature Adjustability
- Digital Display on Front Top Trim
- Interior LED Theater Lighting
- XL Pantry Drawer
- Height-adjustable Cantilever Shelves
- Counter-depth Professional Design

Capacities

- Fresh Food: 13.3 cu. ft.
- Freezer: 6.56 cu. ft.
- Total: 19.86 cu. ft.

Finish

Fingerprint-free Stainless Steel

Dimensions (H x W x D)

69 3/4 x 35 3/4 x 27 3/4 in.

Depth is with door / without handles.



CEE Tier 1



36" Freestanding Side-by-Side Refrigerator with Ice Maker

BFSB3622SS

Features

- EverFresh+
- Active Fresh Blue Light Technology
- Auto Ice Maker (6 lbs./day)
- NeoFrost Dual Cooling Technology
- IonGuard
- Filtered Ice and Water Dispenser (through the door)
- Digital Display (on the door)
- Electronic Control
- Zone Temperature Adjustability
- Interior LED Theater Lighting
- Height-adjustable Cantilever Shelves
- Counter-depth Professional Design
- Wine Rack

Capacities

- Fresh Food: 13 cu. ft.
- Freezer: 6.32 cu. ft.
- Total: 19.32 cu. ft.

Finish

Fingerprint-free Stainless Steel

Dimensions (H x W x D)

70 1/2 x 35 13/16 x 27 3/4 in.

Depth is with door / without handles.



CEE Tier 1



30" Freestanding Bottom Freezer Refrigerator with Ice Maker

BFBF3018SSIM

Features

- EverFresh+
- Active Fresh Blue Light Technology
- Auto Ice Maker (6 lbs./day)
- NeoFrost Dual Cooling Technology
- IonGuard
- Electronic Control
- Zone Temperature Adjustability
- Inner Digital Display
- Interior LED Theater Lighting
- Height-adjustable Cantilever Shelves
- Vacation Mode
- Wine Rack

Capacities

- Fresh Food: 11.05 cu. ft.
- Freezer: 5.12 cu. ft.
- Total: 16.17 cu. ft.

Finish

Fingerprint-free Stainless Steel

Dimensions (H x W x D)

67 3/4 x 29 1/8 x 28 5/16 in.

Depth is with door / without handles.



CEE Tier 1

Additional Options:

BFBF3018SSIML Left Hinge
BFBF3018SS without Ice Maker
BFBF3018SSL Left Hinge without Ice Maker



27" Freestanding Bottom Freezer Refrigerator

BFBF2715GSIM

Features

- Auto Ice Maker (6 lbs./day)
- Field Reversible Door
- NeoFrost Dual Cooling Technology
- IonGuard
- Electronic Control
- Vacation Mode
- Zone Temperature Adjustability
- Inner Digital Display
- Interior LED Theater Lighting
- Wine Rack

Capacities

- Fresh Food: 11.68 cu. ft.
- Freezer: 4.71 cu. ft.
- Total: 16.4 cu. ft.

Finish

Black Glass

Dimensions (H x W x D)

75 7/16 x 27 7/16 x 27 3/4 in.

Depth is with door / without handles.



CEE Tier 1

Additional Options:

BFBF2715SSIM Stainless Steel
BFBF2715SS Stainless Steel without Ice Maker



28" Top Freezer Refrigerator with Ice Maker and EverFresh+ BFTF2716SSIME

Features

- EverFresh+
- Active Fresh Blue Light Technology
- Auto Ice Maker (6 lbs./day)
- Field Reversible Door
- NeoFrost Dual Cooling Technology
- Electronic Control
- Vacation Mode
- Inner Digital Display
- Interior LED Lighting
- Counter-depth Professional Design
- Wine Rack

Capacities

- Fresh Food: 10.10 cu. ft.
- Freezer: 3.43 cu. ft.
- Total: 13.53 cu. ft.

Finish

Stainless Steel

Dimensions (H x W x D)

67 ³/₄ x 27 ⁵/₁₆ x 26 ³/₈ in.

Depth is with door / without handles.



CEE Tier 1



28" Counter-depth Top Freezer Refrigerator BFTF2716SSIM

Features

- Active Fresh Blue Light Technology
- Auto Ice Maker (6 lbs./day)
- Field Reversible Door
- NeoFrost Dual Cooling Technology
- Electronic Control
- Vacation Mode
- Inner Digital Display
- Interior LED Lighting
- Counter-depth Professional Design

Capacities

- Fresh Food: 10.10 cu. ft.
- Freezer: 3.43 cu. ft.
- Total: 13.53 cu. ft.

Finish

Stainless Steel

Dimensions (H x W x D)

67 ³/₄ x 27 ⁵/₁₆ x 26 ³/₈ in.

Depth is with door / without handles.



CEE Tier 1

Additional Option:
BFTF2716WHIM White



28" Counter-depth Top Freezer Refrigerator BFTF2716SS

Features

- Active Fresh Blue Light Technology
- Field Reversible Door
- NeoFrost Dual Cooling Technology
- Electronic Control
- Vacation Mode
- Inner Digital Display
- Interior LED Lighting
- Counter-depth Professional Design

Capacities

- Fresh Food: 10.10 cu. ft.
- Freezer: 3.43 cu. ft.
- Total: 13.53 cu. ft.

Finish

Stainless Steel

Dimensions (H x W x D)

67 ³/₄ x 27 ⁵/₁₆ x 26 ³/₈ in.

Depth is with door / without handles.



CEE Tier 1

Additional Option:
BFTF2716WH White



24" Counter-depth Refrigerator

BFBF2414SS

Features

- Active Fresh Blue Light Technology
- Field Reversible Door
- NeoFrost Dual Cooling Technology
- Fully Frost Free
- Electronic Control
- Interior LED Lighting
- Height-adjustable Shelves
- Counter-depth Professional Design

Capacities

- Fresh Food: 8.08 cu. ft.
- Freezer: 3.35 cu. ft.
- Total: 11.43 cu. ft.

Finish

Fingerprint-free Stainless Steel

Dimensions (H x W x D)

67 ⁷/₈ x 23 ³/₈ x 26 ¹/₈ in.

Depth is with door / without handles.



CEE Tier 3

ENERGY STAR 2020
Emerging Technology Award

Additional Option:
BFBF2414WH White



Water Filter

4874960100

Our innovative interior water dispenser gives you convenient access to the filtered water you love while maintaining the refrigerator's clean exterior lines.

And, Beko makes it easy to maintain your interior water dispenser system with this easy-to-replace water filter.

Replacement water filter for units with built-in water dispenser.

Filters should be replaced every 6 months.



Beko's Upright Freezers offer Quick Freeze
which is ideal for locking in food's vitamins and nutrients.
Enjoy nutritious and vitamin-rich food all year around.

FREEZERS



28" Upright Freezer with Ice Maker

BUFR2715SSIM

Features

- Freeze Guard for Garage Ready
- On Door LED Display
- Reversible Door
- Frost Free Technology
- Eco Mode
- Quick Freeze
- Easy Open Handle
- Reversible Door
- Door Open Alarm
- Electronic Display Child Lock
- Interior Illumination
- Automatic ice Maker with On/Off Features

Capacities

- Total Net Volume: 13.84 cu. ft.

Finish

Stainless Steel

Dimensions (H x W x D)

75 ⁵/₁₆ x 27 ⁹/₁₆ x 30 ¹/₄ in.

Depth is with door / without handles.



28" Upright Freezer

BUFR2715MG

Features

- Freeze Guard for Garage Ready
- On Door LED Display
- Reversible Door
- Frost Free Technology
- Eco Mode
- Quick Freeze
- Easy Open Handle
- Reversible Door
- Door Open Alarm
- Electronic Display Child Lock
- Interior Illumination

Capacities

- Total Net Volume: 14.26 cu. ft.

Finish

Manhattan Gray

Dimensions (H x W x D)

75 ⁵/₁₆ x 27 ⁹/₁₆ x 30 ¹/₄ in.

Depth is with door / without handles.



ENERGY STAR 2020
Emerging Technology Award



28" Upright Freezer

BUFR2715WH

Features

- Freeze Guard for Garage Ready
- On Door LED Display
- Reversible Door
- Frost Free Technology
- Eco Mode
- Quick Freeze
- Easy Open Handle
- Reversible Door
- Door Open Alarm
- Electronic Display Child Lock
- Interior Illumination

Capacities

- Total Net Volume: 14.26 cu. ft.

Finish

White

Dimensions (H x W x D)

75 ⁵/₁₆ x 27 ⁹/₁₆ x 30 ¹/₄ in.

Depth is with door / without handles.



ENERGY STAR 2020
Emerging Technology Award



When it comes to dirty dishes, glassware, pots, and pans, Beko dishwashers know how to clean up. From exclusive wash features to a fresh 3-way filtration system, Beko makes easy work out of after-dinner messes and leaves even the dirtiest of dishes sanitized and sparkling.

DISHWASHERS



AQUAINTENSE

Whether it's your cheesiest lasagna, darkest coffee, or other baked-on foods, Beko has developed AqualIntense technology to power your dishes clean. Thanks to its power zone of intense water pressure and innovative 180° rotating spray arm with a 360° rotating head, it provides up to five times better cleaning performance.



IONGUARD

Adding dirty dishes to the dishwasher shouldn't mean revisiting last night's tuna surprise. IonGuard neutralizes and removes bad odors inside your dishwasher — without the use of harmful gases or chemicals. It's breakthrough technology that's a breath of fresh air.





SILENTTECH

SilentTech suppresses dishwasher noise while extra insulation keeps heat in for a high energy efficiency combination that really cleans up.



FULL-SIZE THIRD RACK

This removable rack gives you extra capacity for cutlery and espresso cups while still allowing for glassware and bowls in the upper basket.



INNER ILLUMINATION

No matter what time of day you load and unload your dishes, the well-lit interior of our dishwashers will allow you to see everything inside easily, even in the back.



LED SPOT

Your Beko dishwasher may be so quiet that you might not know it's on. A red light indicator on the floor at the base of the dishwasher means you can tell with just one quick look whether it's running or not.



HOMEWHIZ SMART HOME TECHNOLOGY

HomeWhiz smart home technology allows you to connect your smart appliance to your mobile devices, allowing you to control and monitor them from anywhere. The smart home app is free for iOS and Android and works with your Beko products.



HEIGHT-ADJUSTABLE RACK

Features three different height adjustment options. Raise the height of the upper basket to wash large plates below or lower it to accommodate tall glasses.



THICKER BASKET WIRES

Thanks to these thick, durable basket wires, you don't have to worry about your dishes moving or chipping during a cycle. Capable of holding dishes in place, you can look forward to a lifetime of safe dishwashing.



FULL FOLDING TINES

Get more after-dinner cleaning done by folding the tines into the right configuration for your dishwashing load. Large pots and pans can get a thorough cleaning thanks to this customizable option.



SLIDING CUTLERY BASKET

For added flexibility, the sliding cutlery basket can be placed in any position along the front row of the lower rack.



13" PLATE DIMENSION

Whether it's a large serving platter or an oversized plate set, you're sure to fit your dishware into Beko dishwashers because of their generous interior space that allows for plates as tall as 13".



AQUAFLEX

This dual water pressure cycle applies low pressure in the top basket for your delicate glassware and china while blasting pots and pans in the bottom basket with 60% higher pressure.



AUTO TABLET

Innovative sensors automatically set the drying cycle duration for the best results with tablet detergents.




STAINLESS STEEL INTERIOR

Stainless steel interior not only resists hard water stains, spots, and corrosion, it's more durable, offers more noise cancellation, and supports higher temperatures than the plastic interiors found in other dishwashers.



PROSMART INVERTER MOTOR

There's no reason to sacrifice the serenity of your kitchen for a dishwasher cycle. Our advanced ProSmart Inverter Motor is twice as quiet as standard motors while saving water and energy.



3-WAY FILTRATION SYSTEM

Removing even the smallest dirt particles and circulating only clean water, the 3-way Filtration System provides top filtration.

WASH CYCLES

AUTO WASH Set your dishwasher to Auto Wash and it automatically applies the most appropriate wash cycle to each load of dishes, guaranteeing minimum water and energy consumption.

FAST FUNCTION This time-saving function cuts the wash cycle duration in half by increasing the wash temperature and adjusting water pressure.

ULTIMATE GLASS CARE

STEAMGLOSS SteamGloss technology reduces the size of water droplets left on dishes and improves shine up to 23% for glassware and 30% for china.

GLASS CARE 110°F Take special care of your most delicate glassware with this reduced heat, reduced water pressure cycle.

ADDITIONAL FEATURES

FINGERPRINT-FREE STAINLESS STEEL Beko stainless steel surfaces are specially coated for easy-to-clean, smudge-free beauty.

NSF CERTIFIED FUNCTION All Beko dishwashers are NSF-certified safe for food contact.

TURBO FAN DRYING Time-saving Turbo Fan Drying increases air circulation for perfect drying results and easy-to-unload room temperature dishes at the end of the cycle.

BUILT-IN HIGH LOOP WITH AIR GAP The built-in high loop with air gap prevents contaminated water from flowing back into the dishwasher.

Features available on select models only.





Carbon Fiber, Top Control, Pro Handle Dishwasher, 9 Programs, 39 dBA

DDT39432CF

Features

- AqualIntense, Stainless Spray Arm
- IonGuard
- SilentTech: 39 dBA
- Full-size Third Rack
- LED Spot
- Interior Illumination
- HomeWhiz App WiFi Connection, 3 cycles
- 3-position Upper Rack
- 16 Place Settings
- 9 Cycles
- Water Leakage Indicator
- Turbidity Sensor
- ProSmart Inverter Motor
- Closed Fan Drying System
- Pro Handle

Finish

Scratch-resistant Carbon Fiber Door

Dimensions (H x W x D)

33 ⁷/₈ x 23 ⁹/₁₆ x 22 ⁷/₁₆ in.



CEE Tier 1



Top Control, Pro Handle Dishwasher, 9 Programs, 39 dBA

DDT39432X

Features

- AqualIntense, Stainless Spray Arm
- IonGuard
- SilentTech: 39 dBA
- Full-size Third Rack
- LED Spot
- Interior Illumination
- HomeWhiz App WiFi Connection, 3 cycles
- 3-position Upper Rack
- 16 Place Settings
- 9 Cycles
- Water Leakage Indicator
- Turbidity Sensor
- ProSmart Inverter Motor
- Closed Fan Drying System
- Pro Handle

Finish

Fingerprint-free Stainless Steel

Dimensions (H x W x D)

33 ⁷/₈ x 23 ⁹/₁₆ x 22 ⁷/₁₆ in.



CEE Tier 1

Additional Option:
DIT39432 Panel Ready



Top Control, Pocket Handle Dishwasher, 9 Programs, 39 dBA

DDT39432XIH

Features

- AquaIntense, Stainless Spray Arm
- IonGuard
- SilentTech: 39 dBA
- Full-size Third Rack
- LED Spot
- Interior Illumination
- HomeWhiz App WiFi Connection, 3 cycles
- 3-position Upper Rack
- 16 Place Settings
- 9 Cycles
- Water Leakage Indicator
- Turbidity Sensor
- ProSmart Inverter Motor
- Closed Fan Drying System
- Pocket Handle

Finish

Fingerprint-free Stainless Steel

Dimensions (H x W x D)

33 ⁷/₈ x 23 ⁹/₁₆ x 22 ⁷/₁₆ in.



CEE Tier 1



Top Control, Pro Handle Dishwasher, 8 Programs, 45 dBA

DDT38530X

Features

- AquaIntense
- SilentTech: 45 dBA
- Full-size Third Rack
- LED Spot
- Interior Illumination
- 3-position Upper Rack
- 16 Place Settings
- 8 Cycles
- Water Leakage Indicator
- Turbidity Sensor
- ProSmart Inverter Motor
- Active Ventilation Drying System
- Pro Handle

Finish

Fingerprint-free Stainless Steel

Dimensions (H x W x D)

33 ⁷/₈ x 23 ⁹/₁₆ x 22 ⁷/₁₆ in.



CEE Tier 1



Top Control, Pocket Handle Dishwasher, 8 Programs, 45 dBA

DDT38530XIH

Features

- AquaIntense
- SilentTech: 45 dBA
- Full-size Third Rack
- LED Spot
- Interior Illumination
- 3-position Upper Rack
- 16 Place Settings
- 8 Cycles
- Water Leakage Indicator
- Turbidity Sensor
- ProSmart Inverter Motor
- Active Ventilation Drying System
- Pocket Handle

Finish

Fingerprint-free Stainless Steel

Dimensions (H x W x D)

33 ⁷/₈ x 23 ⁹/₁₆ x 22 ⁷/₁₆ in.



CEE Tier 1

Additional Options:
DIT38530 Panel Ready



Top Control, Pro Handle Dishwasher, 5 Programs, 48 dBA

DDT25401X

Features

- SilentTech: 48 dBA
- LED Spot
- 3-position Upper Rack
- 14 Place Settings
- 5 Cycles
- Water Leakage Indicator
- Turbidity Sensor
- ProSmart Inverter Motor
- Static Drying System
- Pro Handle

Finish

Fingerprint-free Stainless Steel

Dimensions (H x W x D)

33 ⁷/₈ x 23 ⁹/₁₆ x 22 ⁷/₁₆ in.



CEE Tier 1

Additional Option:
DIT25401 Panel Ready



Front Control, Pocket Handle Dishwasher, 6 Programs, 45 dBA

DUT36520X

Features

- SilentTech: 45 dBA
- Full-size Third Rack
- 3-position Upper Rack
- 15 Place Settings
- 6 Cycles
- Water Leakage Indicator
- Turbidity Sensor
- ProSmart Inverter Motor
- Static Drying System
- Control Display in Pocket Handle

Finish

Fingerprint-free Stainless Steel

Dimensions (H x W x D)

33 ⁷/₈ x 23 ⁹/₁₆ x 22 ⁷/₁₆ in.



CEE Tier 1

Additional Option:
DUT36520W White



Front Control, Pocket Handle Dishwasher, 5 Programs, 48 dBA DUT25401X

Features

- SilentTech: 48 dBA
- 3-position Upper Rack
- 14 Place Settings
- 5 Cycles
- Water Leakage Indicator
- Turbidity Sensor
- ProSmart Inverter Motor
- Static Drying System

Finish

Fingerprint-free Stainless Steel

Dimensions (H x W x D)

33 ⁷/₈ x 23 ¹/₁₆ x 21 ⁵/₈ in.



CEE Tier 1

Additional Options:

DUT25401B Black

DUT25401W White





Top Control, Front Handle Dishwasher, 5 Programs, 48 dBA DDN25401X

Features

- SilentTech: 48 dBA
- 14 Place Settings
- 5 Cycles
- Water Leakage Indicator
- Turbidity Sensor
- Static Drying System
- Square Handle

Finish

Fingerprint-free Stainless Steel

Dimensions (H x W x D)

32 3/16 x 23 9/16 x 22 7/16 in.



CEE Tier 1

Additional Option:
DIN25401 Panel Ready



18" Top Control, Front Handle Dishwasher, 5 Programs, 48 dBA DDS25842X

Features

- SilentTech: 48 dBA
- 3-position Upper Rack
- 8 Place Settings
- 5 Cycles
- Water Leakage Indicator
- Turbidity Sensor
- Static Drying System
- Square Handle

Finish

Fingerprint-free Stainless Steel

Dimensions (H x W x D)

32 3/16 x 17 5/8 x 22 7/16 in.



CEE Tier 1

Additional Option:
DIS25842 Panel Ready



ACCESSORY



Stemware Rack 1752850100

Beko dishwashers are designed for proper glassware care. For more delicate wine glasses, we recommend the stemware rack accessory with additional stabilization, which securely holds up to 6 stemware glasses in the bottom rack.



Gentle and energy efficient with a large capacity—all in a compact size—Beko washers and dryers make doing laundry a snap! Fresh technology like ventless heat pump dryers and pet hair removing washers prolong the life of linens and clothes while protecting the planet.

COMPACT LAUNDRY





INCLUDED STACK KITS

Small but mighty, the Beko Compact Washer & Dryer turns any two-foot nook into a laundry room. With its space-saving compact size, this dynamic duo doesn't require any extra hardware to stack and start saving space right out of the box. The flexibility of our Stack Kit allows optional stacking of your Beko washer and dryer, even if they're different sizes.

Features available on select models only.



EXTRA-LARGE CAPACITY


Despite their compact sizes, the Beko laundry pair offers 2.5 cu. ft. washing capacity, 4.1 cu. ft. drying capacity, and superior cleaning and drying performance. That means each unit can launder 14 large towels in one load.

ADVANCED VENTLESS HEAT PUMP DRYER TECHNOLOGY

This compact dryer not only takes up less space, but with 50% higher energy efficiency, it's small in environmental impact too. Using a closed-loop heat exchange system, this ENERGY STAR® Most Energy Efficient award-winning Ventless Heat Pump Dryer uses lower temperatures to dry the load while saving money on energy bills. Plus, it dramatically reduces wear and tear on clothing while maintaining a completely humidity-free environment.

Understanding Beko's Heat Pump Technology

- A** Beko's heat pump technology pumps warm, dry air into the drum to mix with moisture-laden laundry.
- B** The moist air leaves the drum.
- C** The air passes through the evaporator where air is cooled and humidity is removed.
- D** The remaining air is reheated in the condenser (heat pump) through the exchange of compressed coolant and sent back to the drum to continue the drying process.





MAXIMUM SPIN CYCLES

With vented machines clocking in at 1,200 rpm and ventless machines reaching a dizzying 1,400 rpm, these washers are built to spin. Efficient spinning results in less drying time, which leads to fabric longevity and less energy used.



DIRECT DRAINING

A water level sensor monitors and automatically drains excess water if the tank exceeds safe levels.

Only available on our Ventless Heat Pump Dryers.



SPECIAL DRUM PADDLES

These unique baffles within the dryer drum gently separate items as they dry for a more even, wrinkle-free result.



MAXIMUM WATER EFFICIENCY

For maximum water efficiency, all Beko washing machines are equipped with the automatic water adjustment system that regulates how much water is needed for each laundry load.



GENTLE CARE

Select Gentle Care to extend the life of your delicates and whites by drying at lower temperatures.



ANTICREASING

Gentle drum action separates clothing throughout the drying cycle to ensure ready-to-wear, wrinkle-free results.



PROSMART INVERTER MOTOR

There's no reason to sacrifice the serenity of your home for the performance of a Beko washer and dryer. Our technologically advanced ProSmart Inverter Motor provides both noise reduction and superior cleaning ability. Plus, it's durable and energy efficient, so you can have some peace with your quiet.



PET HAIR REMOVAL

To make life with our furry friends significantly less hairy, Beko created the Pet Hair Removal function.



LIFETIME STAINLESS STEEL DRUM

Our stainless steel drum not only resists hard water stains, spots, and corrosion, it's more durable and offers more noise cancellation for a lifetime of clean laundry.



JEANS

Use Beko's Jeans cycle to thoroughly and uniformly wash and dry even your toughest drying challenges.



LIQUID DETERGENT COMPARTMENT

The liquid detergent compartment and 16 wash cycles help provide the best washing conditions for all fabric types.



EASY ACCESS TO LINT FILTER

Hassle-free lint filter cleaning keeps dryer performance at its best.

ADDITIONAL FEATURES

CHILD LOCK Little fingers love to push buttons! Activate Beko's Child Lock to keep laundry settings from changing during the cycle.

REVERSIBLE DOORS For the best configuration in any setting, Beko washer and dryer doors include our convenient reversible-hinge design. You can change the door opening direction to either side.
(Heat pump dryers only.)

OPTISENSE TECHNOLOGY Smart sensors assess garment needs and determine the best water temperature, motor speed, and rinse options to deliver optimum wash results.

RINSE SENSOR Automatically measuring the level of foam in the laundry and adjusting the rinse cycle to thoroughly remove all detergent from clothing, Beko's Rinse Sensor protects sensitive skin.

INTERNAL WATER HEATER Beko's Internal Water Heater uses less energy to deliver hotter water for cleaner clothes.

QUICK DRYING Allowing for cooler drying temperatures that prolong the life of your clothes, our innovative heat pump dryers can dry 8.45 pounds of laundry in less than an hour.

Features available on select models only.





24" Front Load Washer

WMY10148C2

Features

- 1,400 rpm Maximum Spin Speed
- Maximum Water Efficiency
- 16 Washing Programs
- Special Washing Programs (Pet Hair Removal Plus, Super Quick 20 min., Bedding, Fitness Wear, Jeans)
- Cycles (Heavy Soil, Extra Rinse, Presoak)
- Liquid Detergent Compartment
- Child Lock
- Lifetime Stainless Steel Drum

Finish

Color: White
Cycle Knob: Chrome
Door Trim: Chrome

Total capacity

2.5 cu. ft.

Dimensions (H x W x D)

33 1/8 x 23 5/8 x 24 5/8 in.



CEE Tier 2



24" Ventless Heat Pump Dryer

HPD24412W

Features

- Stacking Kit Included
- Reversible Door
- Humidity Free
- Direct Draining
- Special Drum Paddles
- Easy Access to Lint Filter
- Reverse Drum Action
- 16 Drying Programs
- Special Drying Programs (AntiCreasing, Super Quick 30 min., Jeans, Gentle Care)
- Child Lock
- Lifetime Stainless Steel Drum
- Interior Lighting
- ProSmart Inverter Motor

Finish

Color: White
Cycle Knob: Chrome
Door Trim: Chrome

Total capacity

4.16 cu. ft.

Dimensions (H x W x D)

33 5/16 x 23 3/4 x 24 1/2 in.



CEE Advanced Tier



24" Front Load Washer

BWM7200X

Features

- 1,200 rpm Maximum Spin Speed
- Child Lock
- Lifetime Stainless Steel Drum
- Tub Sanitize Cycle
- Allergen Cycle
- 15 Programs
- 4 functions
- Adjustable Feet

Finish

Color: White

Cycle Knob: Gray

Door Trim: Gray

Total capacity

1.94 cu. ft.

Dimensions (H x W x D)

33 1/8 x 23 5/8 x 23 1/2 in.



CEE Tier 1



24" Front Load Vented Dryer

BDV7200X

Features

- Stacking Kit Included
- Bidirectional Drum Action
- AntiCrease+
(prevents wrinkles by tumbling clean clothes after cycle has finished)
- Child Lock
- Galvanized Drum
- 15 Programs
- Filter Cleaning Indicator

Finish

Color: White

Cycle Knob: Black

Door Trim: Silver

Total capacity

3.77 cu. ft.

Dimensions (H x W x D)

33 1/8 x 23 1/2 x 23 in.

ACCESSORY



Universal Stacking Kit

2992100300

Beko's laundry appliances offer versatility with convenience in mind. From unique, preprogrammed cycles to top-of-line materials – we've developed a world-class laundry system.

Enjoy compact washers and dryers with large capacities, and for additional space, we recommend our universal stacking kit to reduce your laundry footprint to an impressive 2 x 2 square foot area.

Designed to mix and match pairs.








All the essential details in one easy place. Find out exactly how much technology goes into each of our products. From dimensions to watts and amps to capacities, Beko technical specifications fill in the blanks and answer all your questions.

TECHNICAL DETAILS

Ranges		30" Pro-style Induction Range PRIR34450SS	30" Pro-style Dual Fuel Range PRDF34550SS	30" Pro-style Gas Range PRGR34550SS	30" Slide-in Dual Fuel Range SLDF30540SS
General	Display Type	—	—	—	LED Display—Multicolor
	Display Lock	—	—	—	—
	InnovaChef Smart Display	—	—	—	Yes
	12/24 Hour Clock Format	—	—	—	Yes
	Anti-Tip (Tilting) Bracket	Yes	Yes	Yes	Yes
	Illuminated Knobs	Yes	Yes	Yes	—
Burner Power Details	Professional Design	Yes	Yes	Yes	—
	Burner Configuration	4 Induction Zones	5 Gas	5 Gas	5 Gas
	Front Left Burner	9" 2,300 W / 3,700 W	20,000 BTU Dual Power Burner	20,000 BTU Dual Power Burner	12,500 BTU
	Rear Left Burner	6" 1,400 W / 2,200 W	4,000 BTU	4,000 BTU	4,000 BTU
	Center Burner	—	10,000 BTU	10,000 BTU	10,000 BTU
	Front Right Burner	6" 1,400 W / 2,200 W	20,000 BTU	20,000 BTU	18,000 BTU
	Rear Right Burner	11" 2,600 W / 3,700 W	8,000 BTU	8,000 BTU	8,000 BTU
	Cast Iron Continuous Pan Support	—	Yes	Yes	Yes
	Ignition Type	—	Auto Reignition	Auto Reignition	Auto Reignition
	Simmering	—	Yes	Yes	Yes
	XL Cooktop Surface	Yes	Yes	Yes	Yes
	Easy-to-Clean Enamel Burner Plate	—	Yes	Yes	Yes
	Gas Safety Valve	—	—	Yes	—
Oven Details	Residual Heat Indicators	Yes	—	—	—
	Oven Control Type	Electronic Control with Multifunction	Electronic Control with Multifunction	Electronic Control with Multifunction	Electronic Control with Multifunction
	Interior Capacity	XL Interior Volume 5.7 cu. ft.	XL Interior Volume 5.7 cu. ft.	XL Interior Volume 5.7 cu. ft.	XL Interior Volume 5.7 cu. ft.
	Gas Broiler	—	—	13,000 BTU/hour	—
	Bottom Heating Element	2,400 W	2,400 W	—	2,400 W
	Upper Heating Element	3,500 W	3,500 W	—	3,500 W
	Convection Element	1,800 W	1,800 W	—	1,800 W
	Low Grill (Broil)	2,000 W	2,000 W	—	2,000 W
	Grill (Broil)	2,000 W	2,000 W	—	2,000 W
	Cooking Functions	5	5	5	12
	SURF Convection	Yes	Yes	—	Yes
	Oven Enamel Color	Black	Black	Black	Black
	Interior Oven Illumination	1 Round Halogen—Rear 1 Square Halogen—Right	1 Round Halogen—Rear 1 Square Halogen—Right	2 Halogen	2 Halogen
Oven Door Features	Full Extension Lower Telescopic Rack	Yes	Yes	Yes	Yes
	Oven Side Racks	6 Levels	6 Levels	6 Levels	6 Levels
	Defrost	—	—	—	Yes
	Cooling Fan	Yes	Yes	Yes	Yes
	Slow Cooking	—	—	—	Yes
	Pizza Cooking	—	—	—	Yes
	Sabbath Mode	Yes	Yes	Yes	Yes
	Oven Racks with Wraparound Tines	3 Heavy-duty Racks	3 Heavy-duty Racks	3 Heavy-duty Racks	3 Heavy-duty Racks
	Door Cooling System	Cool-touch Door — 4-pane Heat-resistant Glass (Fixed)	Cool-touch Door — 4-pane Heat-resistant Glass (Fixed)	Cool-touch Door — 4-pane Heat-resistant Glass (Fixed)	Cool-touch Door — 4-pane Heat-resistant Glass (Fixed)
	Interior Light with Door Opening	Yes	Yes	Yes	Yes
	Inner Door Type	Full Glass	Full Glass	Full Glass	Full Glass
	Door Lock	Yes	Yes	Yes	Yes
Functions	Self-cleaning—Programmable	Yes	Yes	Yes	Yes
	Bottom Heating	Yes	Yes	Yes	—
	Bottom Heating with Fan	Yes	Yes	Yes	—
	Fan Heating	Yes	Yes	—	Yes
	Broiler	Yes	Yes	Yes	Yes
	Multidimensional Cooking	Yes	Yes	—	Yes
	True European Convection	Yes	Yes	—	Yes
	Bottom Compartment	—	—	—	Baking Drawer (200–520°F)
Accessories	Broiler Pan	Included	Included	Included	Included
	Griddle	—	Optional	Optional	Optional
	Backguard	—	Optional	Optional	Optional
	Side Trim Kit	Optional	Optional	Optional	Optional
	Cast Iron Wok Adapter	—	Included	Included	Included
	Meat Probe	—	—	Included	Included
Dimensions	LPG Conversion Kit	—	Included	Included	Included
	Required Cutout Dimension (H x W x D)	36" x 30" x 25 1/2"	36" x 30" x 25 1/2"	36" x 30" x 25 1/2"	36" x 30" x 25 1/2"
	Product Dimension (H x W x D)	36" x 29 13/16" x 29 1/2"	36" x 29 13/16" x 29 1/2"	36" x 29 13/16" x 29 1/2"	36" x 29 13/16" x 29 1/2"
	Product Weight	264.55 lbs. / 120 kg	275.57 lbs. / 125 kg	272.27 lbs. / 124 kg	286.6 lbs. / 130 kg
	Packed Dimension (H x W x D)	32 3/4" x 45 3/8" x 30 9/16"	32 3/4" x 45 3/8" x 30 9/16"	32 3/4" x 45 3/8" x 30 9/16"	32 3/4" x 45 3/8" x 30 9/16"
	Packed Weight	319.67 lbs. / 145 kg	330.69 lbs. / 150 kg	327.39 lbs. / 148.5 kg	330.69 lbs. / 150 kg
Power Ratings	Frequency / Voltage	60 Hz / 120–240 V	60 Hz / 120–240 V	60 Hz / 110–120V	60 Hz / 240 V
	Performance	11,000 W	—	—	—
	Total Gas Power	—	18,200 W	20,400 W	15,400 W
	Total Electric Power	—	3,700 W	81 W	4,350 W
Finishes	Stainless Steel	PRIR34450SS	PRDF34550SS	PRGR34550SS	—
	Carbon Fiber	PRIR34450CF	PRDF34550CF	PRGR34550CF	—

30" Slide-in Electric Range SLER30530SS	30" Slide-in Gas Range SLGR30530SS	24" Electric Range SLER24410SS	24" Gas Range SLGR24410SS
LED Display—Multicolor	LED Display—Multicolor	LED Display—Touchcontrol	—
Yes	Yes	Yes	—
Yes	Yes	—	—
Yes	Yes	—	—
Yes	Yes	Yes	Yes
—	—	—	—
—	—	—	—
5 Vitroceramic	5 Gas	4 Vitroceramic	4 Gas
5" 750 W / 8" 2,200 W Bridge	12,500 BTU	4½" 750 W / 8" 2,200 W (Duo)	10,000 BTU
8" 2,200 W	4,000 BTU	6" 1,500 W (H)	7,000 BTU
6" 100 W	10,000 BTU	—	—
9" 1,800 W / 12" 3,000 W	18,000 BTU	5½" 1,200 W (H)	3,500 BTU
6" 1,500 W	8,000 BTU	7" 1,800 W (H)	7,000 BTU
—	Yes	—	Yes
—	Auto Reignition	—	Integrated Ignition
—	—	—	—
Yes	Yes	—	—
—	Yes	—	Yes
—	Yes	—	Yes
Yes	—	Yes	—
Electronic Control with Multifunction	Electronic Control with Multifunction	Mechanical Control, Single Knob	Mechanical Control
XL Interior Volume 5.7 cu. ft.	XL Interior Volume 5.7 cu. ft.	Large 2.51 cu. ft.	Large 2.51 cu. ft.
—	13,000 BTU/hour	—	7,400 BTU/hour
2,400 W	—	1,200 W	—
3,500 W	—	2,200 W	—
1,800 W	—	1,800 W	—
2,000 W	—	1,100 W	—
2,000 W	—	2,200 W	—
12	5	8	5
—	—	—	—
Black	Black	Black	Black
2 Halogen	2 Halogen	1 Round Light—Rear	1 Round Light—Rear
Yes	Yes	Yes	—
6 Levels	6 Levels	5 Levels	5 Levels
Yes	Yes	Yes	—
Yes	—	Yes	—
—	—	—	—
—	—	—	—
Yes	Yes	—	—
3 Heavy-duty Racks	3 Heavy-duty Racks	2 Heavy-duty Racks	2 Heavy-duty Racks
Cool-touch Door — 4-pane	Cool-touch Door — 4-pane	3-pane Heat-resistant	2-pane Heat-resistant
Heat-resistant Glass (Fixed)	Heat-resistant Glass (Fixed)	Glass (Fixed)	Glass (Fixed)
Yes	Yes	—	—
Full Glass	Full Glass	Full Glass	Full Glass
Yes	Yes	—	—
Yes	Yes	—	—
—	—	Yes	—
—	—	—	—
Yes	—	Yes	—
Yes	Yes	—	—
Yes	—	Yes	—
Yes	—	Yes	—
Warming Drawer (150–200°F)	Warming Drawer (150–200°F)	Storage Drawer	—
Included	Included	—	—
—	Optional	—	—
Optional	Optional	Optional	—
Optional	Optional	—	—
—	Included	—	—
Included	—	—	—
—	Included	—	Included
36" x 30" x 25 ½"	36" x 30" x 25 ½"	36" x 25" x 25"	36" x 25" x 25"
36" x 29 ⅜" x 29 ½"	36" x 29 ⅜" x 29 ½"	35 ⅞" x 23 ⅝" x 23 ⅝"	35 ⅞" x 23 ⅝" x 23 ⅝"
264.55 lbs. / 120 kg	275.57 lbs. / 125 kg	167.33 lbs. / 76 kg	131.61 lbs. / 60 kg
32 ¾" x 45 ⅜" x 30 ⅞"	32 ¾" x 45 ⅜" x 30 ⅞"	40 ⅜" x 26" x 27 ⅞"	40 ⅜" x 26" x 27 ⅞"
319.67 lbs. / 145 kg	330.69 lbs. / 150 kg	330.69 lbs. / 150 kg	140 lbs. / 63.5 kg
60 Hz / 240 V	60 Hz / 110–120 V	60 Hz / 220–240 V	60 Hz / 110–120 V
—	—	—	—
—	20,400 W	—	10,400 W
12,360 W	106 W	9,600 W	26 W

3-wire Wall Receptacle
Nema 10-304-wire Wall Receptacle
Nema 14-304-wire Wall Receptacle
Nema 14-50

* Electrical Requirements
for Beko Electric Range,
208–240 V with 40 A circuit

Wall Ovens		30" Built-in Wall Oven WOS30100SS	24" Built-in Stainless Steel Wall Oven WOS24102SS
General	Type	Built-in Oven	Built-in Oven
	Size	30"	24"
	Oven Type	Multiple Functions	Multiple Functions
	Display Control Type	LED Display—Multicolor	LED Display with 2-knob control
	InnovaChef Smart Display	Yes	
Oven Details	Net Capacity	XL Interior Volume 5.7 cu. ft.	Large 2.51 cu. ft.
	Self-clean (Programmable)	Yes	—
	Level Side Racks	6	5
	Door Cooling System	Cool-touch Door— 4-pane Heat-resistant Glass	3-pane Heat-resistant Glass
	Door Lock	Yes	—
	Interior Illumination	2 Square Halogen Lights	1 Round Light—Rear
	Oven Racks with Wraparound Tines	2 Heavy-duty Racks	2 Heavy-duty Racks
	Full Lower Extension Telescopic Rack	Yes	—
Features	Programmable Electronic Timer	Yes	—
	Special Food Preset Programs	Yes	—
	Display Lock	Yes	Yes
	Booster	Yes	—
	SURF Convection	Yes	—
	Sabbath Mode	Yes	—
	Easy-to-Clean Enamel	Yes	Yes
Functions	Cooking Functions	12	8
	Broil	Yes	—
	Fast Preheat	Yes	Yes
	Slow Cooking	Yes	—
	Pizza Cooking	Yes	—
	Warm Function	Yes	—
Accessories	Meat Probe	Included	—
	Broiler Pan	Included	—
Power / Ratings	Frequency / Voltage	60 Hz / 220–240 V, 20A	60 Hz / 220–240 V, 20A
Dimensions	Required Cutout Dimension (H x W x D)	28 1/4" x 28 1/2" x 24"	23 5/8" x 22 3/64" x 22 21/32"
	Product Dimension (H x W x D)	28 7/8" x 29 3/4" x 24 7/16"	23 7/16" x 23 3/8" x 22 5/16"
	Product Weight	193.12 lbs. / 87.6 kg	77.6 lbs. / 35.2 kg
	Packed Dimension (H x W x D)	33 1/4" x 33 3/4" x 11 13/16"	25 13/16" x 26" x 26"
	Packed Weight	210.54 lbs. / 95.5 kg	82.67 lbs. / 37.5 kg
Finishes	Stainless Steel	WOS30100SS	
	Carbon Fiber	WOS30200CF	

Induction Cooktops		36" Induction Built-in Cooktop BCTI36510	30" Induction Built-in Cooktop BCTI30410
General	Heating Technology	Induction	Induction
	Material	Frameless Black Glass	Frameless Black Glass
	Control Type	LED Display—Touch Slider	LED Display—Touch Slider
	Cooktop Display Color	Red	Red
	Digital Display on Cooktop	Yes	Yes
Burner Details	Zone Configuration	5 Induction	4 Induction
	Front Left	7 ³ / ₃₂ " – 2,100 W 7 ⁷ / ₈ in. – 3,700 W	7 ³ / ₃₂ " – 2,100 W 7 ⁷ / ₈ in. – 3,700 W
	Front Right	7 ³ / ₃₂ " – 2,100 W 7 ⁷ / ₈ in. – 3,700 W	11" 2,600/3,700 W
	Rear Left	7 ³ / ₃₂ " – 2,100 W 7 ⁷ / ₈ in. – 3,700 W	7 ³ / ₃₂ " – 2,100 W 7 ⁷ / ₈ in. – 3,700 W
	Rear Right	7 ³ / ₃₂ " – 2,100 W 7 ⁷ / ₈ in. – 3,700 W	9 ¹ / ₁₆ " 2,600/3,700 W
	Central	11" 2,500/3,700 W	—
Cooktop Safety	Child Lock	Yes	Yes
	Display Lock	Yes	Yes
	Pan Detection	Yes	Yes
	Residual Heat Indicator	Yes	Yes
Cooktop Features	On/Off Light	Yes	Yes
	Cooking Levels	9	9
	Timer	Yes	Yes
	XL Cooking Zone	Yes	Yes
	Booster	Yes	Yes
Power / Ratings	Frequency / Voltage	50-60 Hz / 220-240 V	50-60 Hz / 220-240 V
Dimensions	Required Cutout Dimension (H x W x D)	31 ⁷ / ₈ " x 19 ⁵ / ₁₆ "	29 ¹ / ₂ " x 19 ⁵ / ₁₆ "
	Product Dimension (H x W x D)	2 ³ / ₈ " x 34 ⁵ / ₈ " x 20 ⁷ / ₁₆ "	2 ³ / ₈ " x 30 ¹¹ / ₁₆ " x 20 ⁷ / ₁₆ "
	Product Weight	28.66 lbs. / 13 kg	22.04 lbs. / 10 kg
	Packed Dimension (H x W x D)	4 ³ / ₄ " x 37 ³ / ₈ " x 23 ⁵ / ₈ "	4 ³ / ₄ " x 31 ¹ / ₂ " x 23 ⁵ / ₈ "
	Packed Weight	33.07 lbs. / 15 kg	26.46 lbs. / 12 kg
Accessibility	ADA Compliant	Yes, Code 804.6.4	Yes, Code 804.6.4

Gas Rangetop/Cooktops		30" Gas Rangetop PRGRT30500SS	36" Gas Built-in Cooktop BCTG36500SS	30" Gas Built-in Cooktop BCTG30500SS	24" Gas Built-in Cooktop BCTG24400SS
General	Heating Technology	Gas	Gas	Gas	Gas
	Material	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
	Knob Control with Illumination	Yes	Yes	Yes	—
Burner Power Details	Burner Configuration	4 gas + 1 wok	4 gas + 1 wok	4 gas + 1 wok	4 gas
	Front Left	18,000 BTU	4,500 BTU	5,000 BTU	7,000 BTU
	Front Right	18,000 BTU	11,000 BTU	11,000 BTU	3,500 BTU
	Rear Left	10,000 BTU	9,000 BTU	9,000 BTU	10,000 BTU
	Rear Right	10,000 BTU	4,500 BTU	4,500 BTU	7,000 BTU
	Central	12,000 BTU	18,000 BTU / 2,000 BTU	18,000 BTU / 2,000 BTU	—
Cooktop Features	Ignition Type	Auto Reignition	Auto Reignition	Auto Reignition	Integrated Ignition
	18,000 BTU Center Burner	—	Yes	Yes	—
Cooktop Safety	Child Lock	—	Yes	—	—
	Cast Iron Continuous Pan Support	Yes	Yes	Yes	Yes
	Gas Safety Device	Yes	Yes	Yes	Yes
Power / Ratings	Frequency / Voltage	60 Hz / 110-120 V	60 Hz / 110-120 V	60 Hz / 110-120 V	60 Hz / 110-120 V
	Total Gas Power	13,000 W	13,700 W	13,000 W	8,000 W
Dimensions	Required Cutout Dimension (H x W x D)	7 ² / ₈ " x 30" x 24 ³ / ₄ "	34" x 19 ⁵ / ₁₆ "	28 ³ / ₈ " x 19 ⁵ / ₁₆ "	22 ¹ / ₁₆ " x 19 ⁵ / ₁₆ "
	Product Dimension (H x W x D)	7 ¹¹ / ₁₆ " x 30" x 27 ⁹ / ₁₆ "	3 ¹³ / ₁₆ " x 36" x 21 ¹ / ₄ "	3 ⁷ / ₈ " x 29 ¹⁵ / ₁₆ " x 21 ¹ / ₄ "	1 ¹³ / ₁₆ " x 22 ¹³ / ₁₆ " x 20 ¹ / ₁₆ "
	Product Weight	66.1 lbs. / 30 kg	56.65 lbs. / 25.7 kg	47.39 lbs. / 21.5 kg	25.35 lbs. / 11.5 kg
	Packed Dimension (H x W x D)	12 ⁵ / ₈ " x 35 ¹ / ₁₆ " x 31 ¹ / ₂ "	9 ⁷ / ₁₆ " x 39 ³ / ₄ " x 24 ³ / ₁₆ "	9 ⁵ / ₈ " x 34 ¹ / ₄ " x 24 ³ / ₁₆ "	7 ¹ / ₁₆ " x 26 ³ / ₈ " x 22 ¹³ / ₁₆ "
	Packed Weight	77.2 lbs. / 35 kg	59.08 lbs. / 26.8 kg	49.83 lbs. / 22.6 kg	28.66 lbs. / 13 kg
Accessibility	ADA Compliant	—	Yes, Code 804.6.4	Yes, Code 804.6.4	Yes, Code 804.6.4

Electric Cooktops		30" Electric Built-in Cooktop ECTM30102	24" Electric Built-in Cooktop ECTM24102
General	Heating Technology	Electric	Electric
	Material	Tempered Black Glass, Framed	Tempered Black Glass, Framed
	Display Type	Touch-sensitive Control	Touch Digital Display
Burner Details	Zone Configuration	4 Vitroceramic	4 Vitroceramic
	Front Left	5 1/2" – 1,200 W Hi-Light	3 15/16" – 600 W Hi-Light
	Front Right	5 1/2" – 1,200 W Hi-Light	3 15/16" – 600 W Hi-Light
	Rear Left	4 23/32" – 750 W 8 1/4" – 2,200 W Duo / Trio	5 1/2" – 1,200 W Hi-Light
	Rear Right	4 23/32" – 750 W 8 1/4" – 2,200 W Duo	4 23/32" – 750 W 8 1/4" – 2,200 W Duo
Cooktop Safety	Cooking Levels	19	9
	Child Lock	Yes	Yes
	Timer	Yes	Yes
	Overheat Safety System	Yes	Yes
	Overflow Safety	Yes	Yes
	Residual Heat Indicator	Yes	Yes
	Automatic Shutoff	Yes	Yes
Power / Ratings	Frequency / Voltage	60 Hz / 220–240 V	60 Hz / 220–240 V
Dimensions	Required Cutout Dimension (H x W x D)	28 11/16" x 19 19/64"	22 13/16" x 19 5/8"
	Product Dimension (H x W x D)	3 1/2" x 30" x 20 1/2"	2 5/8" x 24 3/16" x 20 15/16"
	Product Weight	33.06 lbs. / 15 kg	24.47 lbs. / 11.1 kg
	Packed Dimension (H x W x D)	8 1/4" x 32 11/16" x 26"	6 11/16" x 26 3/4" x 26"
	Packed Weight	37.48 lbs. / 17 kg	28.88 lbs. / 13.1 kg
Accessibility	ADA Compliant	Yes, Code 804.6.4	Yes, Code 804.6.4

Range Hoods

		30" Under Cabinet Professional Range Hood CHP30100SS	30" Under Cabinet Range Hood CHS30100SS
General	Hood Type	Canopy	Standard
Features	Intensive Booster Setting	Yes	—
	Number of Lights	2	2
	Type of Lighting	Halogen	Halogen
	Power of Lights	50 W	50 W
	Type of Grease Filters	Professional Stainless Steel Baffle Filter	Metal—Cassette
	Dishwasher-safe Filters	Yes	Yes
	Flape (Ducted Operation)	Yes	Yes
	Ductless Operation Available with Recirculation Kit	—	Yes
Power Levels	Recirculation Kit Available	—	Yes
	Fitting Kit—Screws	Yes	Yes
	Power Levels	4	3
	Maximum Ventilation Capacity	738 cu. meters / hour	408 cu. meters / hour
	Minimum Ventilation Capacity	303 cu. meters / hour	272 cu. meters / hour
	Ventilation Capacities	303 - 510 - 738 - 876 cu. meters / hour	272 - 340 - 408 cu. meters / hour
	Maximum Noise Level (Sound Power)	71 dBA	62 dBA
	Minimum Noise Level (Sound Power)	49 dBA	54 dBA
Power / Ratings	Noise Level (Sound Power)	49 - 63 - 71 - 74 dBA	54 - 59 - 62 dBA
	CFM Extraction Power	600 CFM	250 CFM
	Fan Speed	4	3
	Frequency / Voltage	60 Hz / 120 V	60 Hz / 120 V
	Total Power Consumption	550 W	360 W
Dimensions	Required Cutout Dimension (H x W x D)	18" x 30" x 25"	4 1/2" x 30" x 20"
	Product Dimension (H x W x D)	18 3/8" x 29 15/16" x 23"	4 3/4" x 29 15/16" x 20"
	Product Weight	62.17 lbs. / 28.2 kg	22.04 lbs. / 10 kg
	Packed Dimension (H x W x D)	24 5/8" x 35 1/8" x 30"	9 13/16" x 34" x 24 1/16"
	Packed Weight	82.45 lbs. / 37.4 kg	29.54 lbs. / 13.4 kg
Finishes	Stainless Steel	CHP30100SS	
	Graphite	CHP30100CF	

Microwaves

		30" Over the Range Microwave Oven with Convection MWOTR30200CSS	30" Over the Range Microwave Oven MWOTR30102SS	24" Built-in Microwave Drawer MWDR24100SS
General	Color	Stainless Steel	Stainless Steel	Stainless Steel
	Total Capacity	1.5 cu. ft.	1.6 cu. ft.	1.2 cu. ft.
Features	Quick Start	Yes	Yes	Yes
	Digital Timer	Yes	Yes	Yes
	Auto Cooking	Yes	Yes	Yes
	Defrost	Yes	—	Yes
	Turntable	13.5"—Glass	13.5"—Glass	—
	Door Opening Type	Side Opening—Handle	Side Opening - Push Button	Easy touch, Auto Open Drawer
	Convection Cooking	Yes	—	—
	Split Cooking	Yes	—	—
	Multitouch Control	Yes	Yes	Yes
	Control Type	Electric	Electric	Electric
	1.6 cu. ft. Interior Capacity	Yes	Yes	—
	1.5 cu. ft. Interior Capacity	—	—	—
	Ventilation Capacity	1,500 cu. ft.	—	—
	CFM Extraction Power	300 CFM	300 CFM	—
	Stainless Steel Interior	Yes	Yes	—
	Cooktop Lighting	Yes	Yes	—
Dimensions	Required Cutout Dimension (H x W x D)	16 3/4" x 30" x 12"	16 7/8" x 29 7/8" x 15 7/8"	16 1/4" x 23 7/8" x 23 1/2"
	Product Dimension (H x W x D)	16 7/16" x 31 7/16" x 15 1/16"	15 11/16" x 31 7/16" x 15"	15 3/4" x 23 7/8" x 23 1/16"
	Product Weight	63.93 lbs. / 29 kg	55.11 lbs. / 25 kg	55.11 lbs. / 25 kg
	Packed Dimension (H x W x D)	20 1/16" x 33 1/4" x 19 5/16"	20 1/16" x 33 1/4" x 19 5/16"	20 1/16" x 26 1/4" x 26 1/16"
	Packed Weight	69.45 lbs. / 31.5 kg	62.83 lbs. / 28.5 kg	62.83 lbs. / 28.5 kg

Freezers		28" Upright Freezer with Ice Maker BUFR2715SSIM	28" Upright Freezer BUFR2715MG	28" Upright Freezer BUFR2715WH
General	Type	Freestanding	Freestanding	Freestanding
	Digital LED Display	Yes	Yes	Yes
	Control System	Electronic, Adjustable	Electronic, Adjustable	Electronic, Adjustable
	Finish	Stainless Steel	Manhattan Gray	White
	Garage Ready	Yes	Yes	Yes
Capacities	Total Net Volume	13.84 cu. ft.	14.26 cu. ft.	14.26 cu. ft.
Features	Eco Mode	Yes	Yes	Yes
	Quick Freeze	Yes	Yes	Yes
	Frost Free	Yes	Yes	Yes
	Handle	Easy Open	Easy Open	Easy Open
	Reversible Door	Yes	Yes	Yes
	Door Open Alarm	Yes	Yes	Yes
	Electronic Display Child Lock	Yes	Yes	Yes
	Condenser Type	Hidden	Hidden	Hidden
	ProSmart Inverter Compressor	Yes	Yes	Yes
	Interior Illumination	Interior LED Lighting	Interior LED Lighting	Interior LED Lighting
	Number of freezer drawer	4	4	4
	Number of total freezer compartments	8	8	8
	Interior Door Bins	2	2	2
	Number of glass shelves	4	4	4
Performance	Ice Maker Type	Automatic with Water Tap Connection	—	—
	Cooling Gas	R600a	R600a	R600a
	Annual Energy Consumption	450 kWh/yr	305 kWh/yr	305 kWh/yr
	ENERGY STAR® Most Efficient	Yes	Yes	Yes
	2020 ENERGY STAR® Emerging Technology Award	No	For the Advance Adaptive Compressors which help protect the environment while offering the consumer new ways to save energy while using low GWP refrigerant and foam	For the Advance Adaptive Compressors which help protect the environment while offering the consumer new ways to save energy while using low GWP refrigerant and foam
Technical Information	Voltage Frequency	120 V / 60 Hz	120 V / 60 Hz	120 V / 60 Hz
	Rated Current	2.6A	2.6A	2.6A
Dimensions	H x W x D	75 ⁵ / ₁₆ x 27 ⁹ / ₁₆ x 30 ¹ / ₄ in.	75 ⁵ / ₁₆ x 27 ⁹ / ₁₆ x 30 ¹ / ₄ in.	75 ⁵ / ₁₆ x 27 ⁹ / ₁₆ x 30 ¹ / ₄ in.
	Product Weight	196.2 lbs.	196.2 lbs.	196.2 lbs.

Refrigerators

		30" Built-in Bottom Freezer Refrigerator BBBF3019IMWESS	22" Built-in Bottom Freezer Refrigerator BBBF2410IM	36" Counter Depth French, 4-Door Refrigerator BFFD3626SS	36" Counter Depth French Door Refrigerator BFFD3624SS	36" Counter Depth Side-by-Side Refrigerator BFSB3622SS	30" Freestanding Bottom Freezer Refrigerator BFBF3018SSIM
General	Control System	Electronic Control	Electronic Control	Electronic Control	Electronic Control	Electronic Control	Electronic Control
	Back Feet on Model	—	Yes	Yes	Yes	Yes	Yes
	Adjustable Front Feet	Yes	—	—	—	—	—
	Field Reversible Door	Yes	Yes	—	—	—	—
	Door Open Alarm	Yes	Yes	Yes	Yes	Yes	Yes
	Child Lock	Yes	—	—	—	Yes	—
Capacities	Electronic Display Control Type	Inner Digital Display	Digital Display on Front Top Trim	Digital Display on Front Top Trim	Digital Display on Front Top Trim	Digital Display on the Door	Inner Digital Display
	Fresh Food Net Volume	11.60 cu. ft.	6.10 cu. ft.	13.30 cu. ft.	13.30 cu. ft.	13.00 cu. ft.	11.05 cu. ft.
	Freezer Net Volume	4.80 cu. ft.	1.90 cu. ft.	6.47 cu. ft.	6.56 cu. ft.	6.32 cu. ft.	5.12 cu. ft.
	Total Net Volume	16.40 cu. ft.	8.00 cu. ft.	19.77 cu. ft.	19.86 cu. ft.	19.32 cu. ft.	16.17 cu. ft.
Fridge Features	IonGuard	Yes	Yes	Yes	Yes	Yes	Yes
	Active Fresh Blue Light	Yes	—	Yes	Yes	Yes	Yes
	Vacation Mode	Yes	Yes	Yes	Yes	Yes	Yes
	Sabbath Mode	Yes	—	Yes	Yes	Yes	—
	LED Lights	Yes, Side Walls & Ceiling	Yes, Ceiling	Yes, Side Walls & Ceiling	Yes, Side Walls & Ceiling	Yes, Side Walls	Yes, Side Walls
	Interior LED Theatre Lighting	—	—	Yes	Yes	Yes	Yes
	Filtered Water Dispenser	Yes, Internal	—	Yes, Internal	Yes, Internal	Yes, External	—
	Cabinet Shelf Material	Glass	Glass	Glass	Glass	Glass	Glass
	Cooling System	NeoFrost Duo Cycle	NeoFrost Duo Cycle	NeoFrost Trio Cycle	NeoFrost Duo Cycle	NeoFrost Duo Cycle	NeoFrost Duo Cycle
	Zone Temperature Adjustability	—	Yes	Yes + Multizone	Yes	Yes	Yes
	XL Pantry Drawer	Yes	—	Yes	Yes	—	—
	Gallon Bins	Yes	—	Yes	Yes	Yes	—
	Adjustable Door Racks	Yes	—	Yes	Yes	—	—
	Auto Defrost	Yes	Yes	Yes	Yes	Yes	Yes
	EverFresh+	Yes	—	Yes	Yes	Yes	Yes
	Number of Crisper Drawers	1	1	2	2	2	1
	Door Racks	3	3	6	6	5	3
	Wire Support on Door Rack	—	Yes	—	—	—	—
	Bottle Gripper	—	Yes	—	—	—	—
	Number of Glass Shelves	—	—	—	—	4	—
Freezer Features	Height Adjustable Cantilever Shelves	3	3	4	4	4	2
	Wine Rack	—	—	—	—	Yes	Yes
	Egg Trays Included	—	1 Tray, Holds 6 Eggs	—	2 Trays, Holds 12 Eggs	2 Trays, Holds 12 Eggs	—
	Auto Defrost	Yes	Yes	Yes	Yes	Yes	Yes
Power / Ratings	Freezer Interior Illumination	Yes	—	Yes	Yes	Yes	Yes
	Freezer Compartments	1 Drawer, 1 Basket	3 Drawers	3 Drawers	1 Drawer, 1 Basket	2 Drawers, 2 Racks	3 drawers
	Automatic Ice Maker	Yes, Inside	Yes, Inside	Yes, Inside	Yes, Inside	Yes, On Door	Yes, Inside
	Pounds of Ice per Day	11 lbs./day	6 lbs./day	6 lbs./day	11 lbs./day	6 lbs./day	6 lbs./day
Dimensions	Supply Voltage	120 V / 60 Hz	120 V / 60 Hz	120 V / 60 Hz	120 V / 60 Hz	120 V / 60 Hz	120 V / 60 Hz
	Rated Current	2.0 A	2.1 A	1.75 A	2.7 A	2.5 A	1.9 A
	Noise Level	44 dBA	39 dBA	43 dBA	44 dBA	43 dBA	43 dBA
	ProSmart Inverter Compressor	Yes	Yes	Yes	Yes	Yes	Yes
Performance	Product Dimension (H x W x D)	83 1/2" x 29 3/4" x 24"	71 1/2" x 21 7/8" x 21 7/16"	71 5/8" x 35 3/4" x 31"	69 3/4" x 35 3/4" x 27 3/4"	70 1/2" x 35 13/16" x 27 3/4"	67 3/4" x 29 1/8" x 30 5/16"
	Product Weight	476.2 lbs. / 216 kg	167.55 lbs. / 76 kg	319.67 lbs. / 145 kg	297.62 lbs. / 135 kg	261.69 lbs. / 118.7 kg	220.46 lbs. / 100 kg
	Packed Dimension (H x W x D)	91" x 33 3/8" x 29 1/2"	74 1/2" x 23 1/2" x 23 1/2"	75 11/16" x 38 1/2" x 30 11/16"	73 11/16" x 38 9/16" x 30 11/16"	75 3/16" x 38 9/16" x 30 11/16"	71 11/16" x 32" x 31 1/16"
	Packed Weight	520.29 lbs. / 236 kg	176.37 lbs. / 80 kg	341.72 lbs. / 155 kg	319.67 lbs. / 145 kg	283.51 lbs. / 128.6 kg	232.59 lbs. / 105.5 kg
Color & Style Options	Cooling Gas	R600a	R600a	R600a	R134a	R134a	R600a
	Annual Energy Consumption	556 kWh/year	465 kWh/year	565 kWh/year	566 kWh/year	580 kWh/year	528 kWh/year
	ENERGY STAR® Qualified	Yes	Yes	Yes	Yes	Yes	Yes
	Climatic Class	T	T	T	T	T	T
	CEE Specifications	CEE Tier 1	CEE Tier 1	CEE Tier 1	CEE Tier 1	CEE Tier 1	CEE Tier 1
	ADA Compliant	—	—	—	—	Yes, code 804.6.6	—
	Stainless Steel	BBBF3019IMWESS					BFBF3018SSIM
	Carbon Fiber	BBBF3019IMWECF					
	Silver (SL)						
	White (WH)						
	Black Glass						
	Panel Ready (FBI / FFBI)	BBBF3019IMWE	BBBF2410IM				
	Left Hinge Door (LN)						BFBF3018SSIML
	Without Ice Maker						
	White, Without Ice Maker						

30" Freestanding Bottom Freezer Refrigerator BFBF3018SS	27" Counter Depth Bottom Freezer Refrigerator BFBF2715GSIM	27" Counter Depth Bottom Freezer Refrigerator BFBF2715SS	28" Counter Depth Top Freezer Refrigerator BFTF2716SSIME	28" Counter Depth Top Freezer Refrigerator BFTF2716SSIM	28" Counter Depth Top Freezer Refrigerator BFTF2716SS	24" Counter Depth Bottom Freezer Refrigerator BFBF2414SS
Electronic Control	Electronic Control	Electronic Control	Electronic Control	Electronic Control	Electronic Control	Electronic Control
Yes	Yes	Yes	Yes	Yes	Yes	Yes
—	—	—	—	—	—	—
—	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes
—	—	—	—	—	—	—
Inner Digital Display	Inner Digital Display	Inner Digital Display	Inner Digital Display	Inner Digital Display	Inner Digital Display	Inner Digital Display
11.05 cu. ft.	11.68 cu. ft.	11.68 cu. ft.	10.10 cu. ft.	10.10 cu. ft.	10.10 cu. ft.	8.08 cu. ft.
5.12 cu. ft.	4.71 cu. ft.	4.71 cu. ft.	3.43 cu. ft.	3.43 cu. ft.	3.43 cu. ft.	3.35 cu. ft.
16.17 cu. ft.	16.40 cu. ft.	16.40 cu. ft.	13.53 cu. ft.	13.53 cu. ft.	13.53 cu. ft.	11.43 cu. ft.
Yes	Yes	Yes	—	—	—	—
Yes	—	—	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	—
—	—	—	—	—	—	—
Yes, Side Walls	Yes, Side Walls	Yes, Side Walls	Yes, Side Walls	Yes, Side Walls	Yes, Side Walls	Yes, Side Walls
Yes	Yes	Yes	—	—	—	—
—	—	—	—	—	—	—
Glass	Glass	Glass	Glass	Glass	Glass	Glass
NeoFrost Duo Cycle	NeoFrost Duo Cycle	NeoFrost Duo Cycle	NeoFrost Duo Cycle	NeoFrost Duo Cycle	NeoFrost Duo Cycle	NeoFrost Duo Cycle
Yes	Yes	Yes	—	—	—	—
—	—	—	—	—	—	—
—	—	—	—	—	—	—
—	—	—	—	—	—	—
Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	—	—	Yes	—	—	—
1	1	1	1	1	1	1
3	4	4	3	3	3	3
—	—	—	—	—	—	—
—	—	—	—	—	—	—
—	—	—	1	1	1	—
2	4	4	3	3	3	3
Yes	Yes	Yes	Yes	—	—	—
—	2 Trays, Holds 12 Eggs	2 Trays, Holds 12 Eggs	—	—	—	2 Trays, Holds 12 Eggs
Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	—	—	Yes	Yes	Yes	—
3 Drawers	3 Drawers	3 Drawers	2 Racks	2 Racks	2 Racks	3 Drawers
—	Yes, Inside	Yes, Inside	Yes, Inside	Yes, Inside	—	No, Ice Trays Included
—	6lbs./day	6lbs./day	6 lbs./day	6 lbs./day	—	—
120 V / 60 Hz	120 V / 60 Hz	120 V / 60 Hz	120 V / 60 Hz	120 V / 60 Hz	120 V / 60 Hz	120 V / 60 Hz
1.9 A	2.4 A	2.4 A	1.25 A	1.25 A	1.25 A	1.0 A
43 dBA	47 dBA	43 dBA	39 dBA	39 dBA	39 dBA	39 dBA
Yes	Yes	Yes	Yes	Yes	Yes	Yes
67 3/4" x 29 1/8" x 29 3/4"	75 9/16" x 27 9/16" x 27 3/4"	75 9/16" x 27 9/16" x 27 3/4"	67 3/4" x 27 9/16" x 26 3/8"	67 3/4" x 27 9/16" x 26 3/8"	67 3/4" x 27 9/16" x 26 3/8"	67 7/8" x 23 2/3" x 26 4/9"
197.31 lbs. / 89.5 kg	181.88 lbs. / 82.5 kg	181.88 lbs. / 82.5 kg	147.71 lbs. / 67 kg	147.71 lbs. / 67 kg	147.71 lbs. / 67 kg	145.5 lbs. / 66 kg
71 11/16" x 32" x 31 1/16"	79 3/16" x 29 15/16" x 30 11/16"	79 3/16" x 29 15/16" x 29 3/4"	71 1/4" x 29 15/16" x 28 3/4"	71 1/4" x 29 15/16" x 28 3/4"	71 1/4" x 29 15/16" x 28 3/4"	71 4/9" x 25 8/9" x 28 7/9"
212.75 lbs. / 96.5 kg	198.42 lbs. / 90 kg	198.42 lbs. / 90 kg	165.35 lbs. / 75 kg	165.35 lbs. / 75 kg	165.35 lbs. / 75 kg	154.3 lbs. / 70 kg
R600a	R600a	R600a	R600a	R600a	R600a	R600a
444 kWh/year	525 kWh/year	445 kWh/year	320 kWh/year	320 kWh/year	320 kWh/year	286 kWh/year
Yes	Yes	Yes	Yes	Yes, Most Efficient	Yes, Most Efficient	Yes, Most Efficient
T	T	T	T	T	T	T
CEE Tier 1	CEE Tier 1	CEE Tier 1	CEE Tier 1	CEE Tier 1	CEE Tier 1	CEE Tier 3
—	—	—	—	—	—	—
BFBF3018SS	BFBF2715SSIM			BFTF2716SSIM		BFBF2414SS
				BFTF2716SSWHIM		BFBF2414WH
	BFBF2715GSIM					
BFBF3018SSL						
					BFTF2716SS BFTF2716SSWH	

Dishwashers



		Top Control, Pro Handle, 9 Programs, 39 dBA DDT39432X	Top Control, Pocket Handle, 9 Programs, 39 dBA DDT39432XIH	Top Control, Pro Handle, 8 Programs, 45 dBA DDT38530X	Top Control, Pocket Handle, 8 Programs, 45 dBA DDT38530XIH
Controls	Control Type	Electronic Touch Control	Electronic Touch Control	Electronic Touch Control	Electronic Touch Control
	Handle Type	Front Pro Handle	Front Pocket Handle	Front Pro Handle	Front Pocket Handle
Main Features	ProSmart Inverter Motor	Yes	Yes	Yes	Yes
	Number of Place Settings	16	16	16	16
	Adjustable Rear Feet	Yes	Yes	Yes	Yes
	Stainless Steel Tub	Yes + Stainless Spray Arm	Yes + Stainless Spray Arm	Yes	Yes
	Number of Spray Levels	3	3	3	3
	Filter	Partial Metal	Partial Metal	Partial Metal	Partial Metal
	Interior Illumination	Yes	Yes	Yes	Yes
	DMSF Overflow Protection	Yes	Yes	Yes	Yes
	Delay Start Timer	Yes	Yes	Yes	Yes
	Turbidity Sensor	Yes	Yes	Yes	Yes
	IonGuard	Yes	Yes	—	—
	Drying System	Closed Fan	Closed Fan	Active Ventilation	Active Ventilation
	Interior High Loop with Air Gap	Yes	Yes	Yes	Yes
	SilentTech	39 dBA	39 dBA	45 dBA	45 dBA
	Detergent Dispenser Type	Sliding Lid—Vertical	Sliding Lid—Vertical	Sliding Lid—Vertical	Sliding Lid—Vertical
Functions	All-in-1 Tablet	Yes	Yes	Yes	Yes
	AquaIntense	Yes	Yes	Yes	Yes
	1/2 Load Function	Yes	Yes	Yes	Yes
	Sanitize Function	Yes	Yes	Yes	Yes
	Extra Rinse Function	Yes	—	—	—
	Extra Dry Function	—	—	—	—
	Steam Gloss Function	Yes	Yes	Yes	Yes
	Auto Tablet Function	Yes	Yes	Yes	Yes
Programs	Fast Function	Yes	Yes	Yes	Yes
	Number of Programs	9	9	8	8
	Auto	Yes	Yes	Yes	Yes
	AquaFlex	Yes	Yes	Yes	Yes
	Heavy+	Yes	Yes	Yes	Yes
	Normal	Yes	Yes	Yes	Yes
	Glass Care	Yes	Yes	Yes	Yes
	Steam Gloss	—	—	—	—
	Delicate	—	—	—	—
	Quick & Shine	Yes	Yes	Yes	Yes
HomeWhiz Cycles	Express	Yes	Yes	Yes	Yes
	Rinse & Hold	Yes	Yes	Yes	Yes
	InnerClean	—	—	—	—
	Pots and Pans	Yes	Yes	—	—
	Daily Wash—90 min.	Yes	Yes	—	—
	SilentWash	Yes	Yes	—	—
	Rinse Aid Indicator	Yes	Yes	Yes	Yes
	Water Leakage Indicator	Yes	Yes	Yes	Yes
Indicators	Watertap Indicator	Yes	Yes	Yes	Yes
	Overflow Safety	Yes	Yes	Yes	Yes
	LED Spot	Yes	Yes	Yes	Yes
	Full-size Third Rack	Yes	Yes	Yes	Yes
Rack System	Full-size Cutlery Basket	Yes	Yes	Yes	Yes
	Easy Fold Lower Rack Folding Tines	8	8	4	4
	Easy Fold Upper Rack Folding Tines	6	6	3	3
	Upper Rack (Inset Shelves)	4	4	4	4
	3 Position Upper Rack	Yes	Yes	Yes	Yes
	Lower Basket Glass Holder	Yes	Yes	No	No
	Nylon-coated Racks	Yes	Yes	Yes	Yes
Dimensions	Required Cutout Dimension (H x W x D)	34" x 24" x 24"	34" x 24" x 24"	34" x 24" x 24"	34" x 24" x 24"
	Product Dimension (H x W x D)	33 7/8" x 23 9/16" x 22 7/16"	33 7/8" x 23 9/16" x 22 7/16"	33 7/8" x 23 9/16" x 22 7/16"	33 7/8" x 23 9/16" x 22 7/16"
	Product Weight	98.77 lbs. / 44.8 kg	98.77 lbs. / 44.8 kg	94.58 lbs. / 42.9 kg	92.37 lbs. / 41.9 kg
	Packed Dimension (H x W x D)	35 1/4" x 25 9/16" x 26 3/8"	35 1/4" x 25 9/16" x 26 3/8"	35 1/4" x 25 9/16" x 26 3/8"	35 1/4" x 25 9/16" x 26 3/8"
	Packed Weight	108.69 lbs. / 49.3 kg	108.69 lbs. / 49.3 kg	104.5 lbs. / 47.4 kg	102.49 lbs. / 46.4 kg
Technical Features	ENERGY STAR® Qualified	Yes, Most Efficient	Yes, Most Efficient	Yes, Most Efficient	Yes, Most Efficient
	CEE Specifications	CEE Tier 1	CEE Tier 1	CEE Tier 1	CEE Tier 1
	Frequency / Voltage	60 Hz / 120 V	60 Hz / 120 V	60 Hz / 120 V	60 Hz / 120 V
	ProSmart Inverter Motor	Yes	Yes	Yes	Yes
	BLDC Motor	Yes	Yes	Yes	Yes
	Energy Performance	225 kWh/year	225 kWh/year	225 kWh/year	225 kWh/year
Color & Style Options	Water Consumption	2.38-5.55 Gallons	2.38-5.55 Gallons	2.32-5.60 Gallons	2.32-5.60 Gallons
	Stainless Steel	DDT39432X	DDT39432XIH	DDT38530X	DDT38530XIH
	Carbon Fiber	DDT39432CF			
	Black				
	White				
	Panel Ready, No Handle	DIT39432		DIT38530	
	With Built-in Water Softener				

Top Control, Pro Handle, 5 Programs, 48 dBA DDT25401X	Front Control, Pocket Handle, 6 Programs, 45 dBA DUT36520X	Front Control, Pocket Handle, 5 Programs, 48 dBA DUT25401X	Top Control, Front Handle, 5 Programs, 48 dBA DDN25401X	18" Top Control, Front Handle, 5 Programs, 48 dBA DDS25842X
Electronic Touch Control Front Pro Handle	Electronic Touch Control Front Pocket Handle	Electronic Touch Control Front Pocket Handle	Electronic Touch Control Front Square Handle	Electronic Touch Control Front Square Handle
Yes	Yes	Yes	Yes	Yes
14	15	14	14	8
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
3	3	3	2	3
Partial Metal	Partial Metal	Partial Metal	Partial Metal	Partial Metal
No	No	No	No	No
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
—	—	—	—	—
Static	Static	Static	Static	Static
Yes	Yes	Yes	—	Yes
48 dBA	45 dBA	48 dBA	48 dBA	48 dBA
Sliding Lid— Vertical	Sliding Lid— Vertical	Sliding Lid— Vertical	Sliding Lid— Vertical	Sliding Lid— Vertical
Yes	Yes	Yes	Yes	Yes
—	—	—	—	—
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
Yes	—	Yes	Yes	—
—	Yes	—	—	Yes
—	—	—	—	—
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
5	6	5	5	5
—	—	—	—	—
—	—	—	—	—
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
—	—	—	—	—
—	—	—	—	—
—	Yes	—	—	—
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
—	—	—	—	—
—	—	—	—	—
—	—	—	—	—
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
—	—	—	—	—
—	—	—	—	—
—	—	—	—	—
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
Yes	—	—	—	—
—	Yes	—	—	—
Yes	Yes	Yes	Yes	Yes
—	—	—	—	2
—	—	—	—	—
2	2	2	2	2
Yes	Yes	Yes	—	Yes
—	—	—	—	—
Yes	Yes	Yes	Yes	Yes
34" x 24" x 24"	34" x 24" x 24"	34" x 24" x 24"	34" x 24" x 24"	34" x 18" x 24"
33 7/8" x 23 9/16" x 22 7/16"	33 7/8" x 23 9/16" x 22 7/16"	33 7/8" x 23 9/16" x 21 5/8"	32 3/16" x 23 9/16" x 22 7/16"	32 3/16" x 17 5/8" x 22 7/16"
82.63 lbs. / 37.5 kg	90.61 lbs / 41.1 kg	78.04 lbs. / 35.4 kg	78.48 lbs. / 35.6 kg	70.33 lbs. / 31.9 kg
35 1/4" x 25 9/16" x 26 3/8"	35 1/4" x 25 9/16" x 26 3/8"	35 1/4" x 25 9/16" x 26 3/8"	34 1/8" x 25 7/8" x 26 9/16"	33 13/16" x 19 7/16" x 33 13/16"
92.59 lbs. / 42 kg	95.46 lbs / 43.3 kg	87.96 lbs. / 39.9 kg	88.41 lbs. / 40.1 kg	75.84 lbs. / 34.4 kg
Yes, Most Efficient	Yes, Most Efficient	Yes, Most Efficient	Yes, Most Efficient	Yes, Most Efficient
CEE Tier 1	CEE Tier 1	CEE Tier 1	CEE Tier 1	CEE Tier 1
60 Hz / 120 V	60 Hz / 120 V	60 Hz / 120 V	60 Hz / 120 V	60 Hz / 120 V
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
234 kWh/year	225 kWh/year	234 kWh/year	234 kWh/year	220 kWh/year
2.59-5.86 Gallons	2.32-5.60 Gallons	2.59-5.86 Gallons	2.59-5.86 Gallons	2.29-4.47 Gallons
DDT25401X	DUT36520X	DUT25401X	DDN25401X	DDS25842X
		DUT25401B		
	DUT36520W	DUT25401W		
DIT25401			DIN25401	DIS25842

Warranty for ProSmart Inverter: 10-year
Registration required.

Compact Washers

		24" Compact Front Load WMY10148C2	24" Compact Front Load BWM7200X
General	Electronic Control	Yes	Yes
	LED Display Color	White	White
	Electronic Type	Digital Display	Digital Display
	Lifetime Stainless Steel Drum	Yes	Yes
	Liquid Detergent Container	Yes	Yes
	Delay Timer	Yes	Yes
	Capacity (cu. ft.)	2.5 cu. ft.	1.94 cu. ft.
	Capacity (kg)	10 kg	7 kg
	XL Capacity	Yes	Yes
	Silence Level (Washing / Spinning)	52 dBA / 76 dBA	—
Functions	Maximum Spin Speed	1,400 rpm	1,200 rpm
	Maximum Water Efficiency	Yes	Yes
	Door Lock Indicator	Yes	Yes
	Child Lock	Yes	Yes
	No Water Indicator	Yes	Yes
	Direct Draining	Yes	Yes
	Unbalanced Load Control	Yes	Yes
	Automatic Water Adjustment System	Yes	Yes
	Overflow Safety	Yes	Yes
	Temperature Selection	Yes	Yes
Programs	Variable Spin Selection	Yes	Yes
	Durable Heater	Yes	Yes
	Number of Adjustable Feet	4	4
	Number of Programs	16	15
	Program Follower	Yes	Yes
	Normal	Yes	Yes
	Heavy Duty	Yes	Yes
	Allergen	—	Yes
	Whites	Yes	—
	Steam	—	Yes
Cycles	Pet Hair Removal Plus	Yes	—
	Wrinkle Free	Yes	—
	Bulky	Yes	—
	Bedding	Yes	—
	Spin & Drain	Yes	Yes
	Super Quick 20 min.	Yes	—
	Quick Wash	—	Yes
	Rinse	Yes	Yes
	Delicates	Yes	Yes
	Hand Wash	Yes	Yes
Finishes	Tub Sanitize	Yes	Yes
	Cold Wash	Yes	Yes
	Wools	Yes	Yes
	Fitness Wear	Yes	Yes
	Organic Wash	—	Yes
	Jeans	Yes	—
	Heavy Soil	Yes	Yes
	Presoak	Yes	Yes
	Extra Rinse	Yes	Yes
	Cabinet	White	White
Technical Features	Door Rim	Chrome	Gray
	Cycle Selector Knob	Chrome	Gray
	Frequency / Voltage	60 Hz / 208-240 V	60 Hz / 120 V
	Maximum Current Intensity	10 A	10 A
	Power Plug	Plugs into Matching dryer	110 V Wall Receptacle
	Circuit Required for Laundry Pair*	1—30 A dedicated	—
	Brushless Motor	Yes	Yes
	ProSmart Inverter Motor	Yes	Yes
	OptiSense	Yes	—
	ENERGY STAR® Qualified	Yes	Yes
Enviro. Standards	Energy Consumption	86 kWh/year	84 kWh/year
	RoHS Compliant (Lead Free)	Yes	—
	CEE Specifications	CEE Tier 2	CEE Tier 1
Dimensions	Required Cutout Dimension (H x W x D)	34" x 25" x 23 1/2"	34" x 25" x 23 1/2"
	Product Dimension (H x W x D)	33 1/8" x 23 5/8" x 24 5/8"	33 1/8" x 23 5/8" x 23 1/8"
	Product Weight	167.55 lbs. / 76 kg	149.91 lbs. / 68 kg
	Packed Dimension (H x W x D)	35" x 26 1/8" x 28"	35" x 26 1/8" x 28"
	Packed Weight	174.17 lbs. / 79 kg	156.53 lbs. / 71 kg


 3 Wire Connection
10-30R Receptacle
208-240 V / 30 Amps

 4 Wire Connection
14-30R Receptacle
208-240 V / 30 Amps


Compact Dryers		24" Compact Ventless Heat Pump HPD24412W	24" Compact Vented Electric BDV7200X
General	Cabinet	White	White
	Dryer Type	Heat Pump Ventless	Electric Air Vented
	Front Door Type	Glass, Reversible Door	Glass, Nonreversible Door
	Door Trim	Chrome	Silver
	Cycle Selector Knob	Chrome	Black
	Style	Front Load	Front Load
	Electronic Control	Yes	Yes
	LED Display Color	White	White
	Electronic Type	Digital Display	Digital Display
	Interior Drum	Lifetime Stainless Steel	Galvanized Finish
	Lifetime Stainless Steel Drum	Yes	—
	Interior Illumination	Yes	—
	Capacity	4.16 cu. ft.	3.77 cu. ft.
	Drying Capacity	17.7 lbs. / 8 kg	15.4 lbs. / 7 kg
	Sound Power Level	66 dBA	67 dBA
Features	Drying Technology	Heat Pump Ventless	Electric Air Vented
	Delay Timer	Yes	Yes
	Child Lock	Yes	Yes
	Time Remaining Indicator	Yes	Yes
	Buzzer Signal	Yes	Yes
	Water Tank Full Indicator	Yes	—
	Filter Cleaning Indicator	Yes	Yes
	Time Delay Indicator	Yes	Yes
	Direct Drain	Yes	—
	Reverse Drum Action	Yes	Yes
	Auto AntiCreasing	Yes	Yes
	Adjustment of Dryness Level	—	Yes
	Number of Adjustable Feet	4	4
	Number of Programs	16	15
	Program Follower	Yes	Yes
Programs	Normal—Regular Cotton	Yes	Yes
	Permanent Press	Yes	Yes
	Heavy	—	Yes
	Mixed Fabric	—	Yes
	Bulky	Yes	Yes
	Air Fluff—No Heat	Yes	Yes
	Sanitize	—	Yes
	Super Quick 30	Yes	—
	Timed Dry	Yes	Yes
	Delicates	Yes	Yes
	Quick Dry	—	Yes
	Baby Sanitize	Yes	—
	Express 45	Yes	—
	Active Wear	Yes	Yes
	Wools	Yes	Yes
Technical Features	Jeans	Yes	—
	Silent Program	Yes	—
	Frequency / Voltage	60 Hz / 208–240 V	60 Hz / 208–240 V
	Total Power	900 W	2,000–2,400 W
	Rated Current Amps	4 A	10 A
	Circuit Required for Laundry	1–30 A dedicated	15 A
	Energy Consumption	208 kWh/year	260 kWh/year
	BLDC Motor	Yes	No
Enviro. Standards	ProSmart Inverter Motor	Yes	No
	OptiSense	Yes	No
	ENERGY STAR® Qualified	Yes, Most Efficient	—
	RoHS Compliant (Lead Free)	Yes	—
Dimensions	CEE Specifications	CEE Advanced Tier	—
	Required Cutout Dimension (H x W x D)	36" x 24 3/4" x 25"	36" x 24 3/4" x 25"
	Product Dimension (H x W x D)	33 5/16" x 23 3/4" x 24 1/2"	33 11/16" x 23 1/2" x 23"
	Product Weight	122 lbs. / 55.5 kg	73.85 lbs. / 33.5 kg
	Packed Dimension (H x W x D)	35 7/16" x 26 3/16" x 27 3/8"	35 1/4" x 26 3/16" x 24 7/16"
Accessory	Packed Weight	130 lbs. / 59 kg	81.6 lbs. / 37 kg
	Stacking Kit	Included	Included







CONNECT WITH US

beko.com/us-en | 888.352.BEKO (2356)

 [Beko-USA](#) |  [BekoAppliancesUSA](#) |  [Beko_USA](#) |  [BekoAppliancesUSA](#) | NKBA.org/Beko

1115 Hosler Dr. Bolingbrook, IL 60490