

PRODUCT FICHE

Energy Label Directive EU2010/30/EU-No65/2014 of range hoods

| | |
|---|--------------|
| Brand | Beko |
| Model | BHCB91622BXH |
| Annual Energy Consumption(AEC hood)(kWh/a) | 70,8 |
| Energy Efficiency Class | B |
| Fluid Dynamic Efficiency (FDE hood) | 23,4 |
| Fluid Dynamic Efficiency Class | B |
| Lighting Efficiency (LE hood) (lux/watt) | 33 |
| Lighting Efficiency Class | A |
| Grease Filtering Efficiency | 77,6 |
| Grease Filtering Efficiency Class | C |
| Air flow (m³/h) (min. and max. setting) | 242-605 |
| Air flow (m³/h) (boost setting) | - |
| Sound power level (dB) (min. and max. setting) | 47-68 |
| Sound power level (dB) (boost setting) | - |
| Measured power consumption in standby mode (Ps) (W) | 0,25 |
| Measured power consumption off mode (Po)(W) | - |

7706331103 185373398 AA en_US

INSTRUCTION BOOKLET**Information for domestic range hoods**

Comply with EU directive 2009/125/EC Regulation No 66/2014

| | | |
|--|--------------|-------|
| Brand | Beko | |
| Model | BHCB91622BXH | |
| Annual Energy Consumption(AEC hood)(kWh/a) | | 70,8 |
| Time increase factor (f) | | 1,2 |
| Fluid Dynamic Efficiency (FDE hood) | | 23,4 |
| Energy Efficiency Index (EEI hood) | | 67,5 |
| Measured air flow rate at best efficiency point (QBEP) (m ³ /h) | | 345 |
| Measured air pressure at best efficiency point (PBEP) (Pa) | | 382,4 |
| Maximum air flow (Q max) (m ³ /h) | | 605 |
| Measured electric power input at best efficiency point(WBEP) (W) | | 156,9 |
| Nominal power of the lighting system (WL)(W) | | 2.6 |
| Average illumination of the lighting system on the cooking surface (E middle)(lux) | | 85 |
| Measured power consumption in standby mode (Ps) (W) | | 0,25 |
| Measured power consumption off mode (Po)(W) | | - |
| Sound power level (LWA)(dB) | | 68 |

7706331103 185373398 AA en_US