

24 INCH COUNTER DEPTH BOTTOM-FREEZER REFRIGERATOR

BFBF2413SS



Fridge Features

- NeoFrost dual cooling technology
- ProSmart Inverter Compressor
- ENERGY STAR® certified
- Zone temperature adjustability
- Inner digital display
- Interior LED lighting
- Field reversibility of doors
- Counter Depth Design
- Finger print free stainless steel

Freezer Features

- 3 freezer drawers

Dimensions

H x W x D: 72 5/8" x 23 7/16" x 24 7/16"
 Depth is with door / without handles

| | |
|---|---|
| MODEL CODE | BFBF2413SS |
| Cooling system | Duo Cycle Frost Free Cooling - NeoFrost |
| Control system | Electronic Control |
| CAPACITIES | |
| Total net volume, cu. ft. | 11.35 |
| Fresh food net volume, cu. ft. | 7.93 |
| Freezer net volume, cu. ft. | 3.42 |
| FRIDGE FEATURES | |
| Active Fresh Blue Light | No |
| EverFresh | No |
| IonGuard | No |
| Interior filtered water dispenser | No |
| Filtered ice & water dispenser through door | No |
| Electronic control display type | Digital inner display |
| Auto defrost | Yes |
| Inner illumination | LED - Ceiling |
| Shelves | 3 Safety Glass |
| Crispers | 1 |
| Door racks | 3 |
| Wine rack | Yes |
| Bottle gripper | Yes |
| Compressor | Variable Speed VCC |
| Fan ventilation | Yes |
| FREEZER FEATURES | |
| Auto defrost | No |
| Number of freezer drawers | 3 |
| Automatic ice maker | No |
| Ice cube tray | No |
| TECHNICAL INFORMATION | |
| Supply voltage, V/Hz | 120/60 |
| Rated Current, A | 1.9 |
| Noise level, dBA | 43 |
| DIMENSIONS | |
| HxWxD, in | 72 5/8" x 23 7/16" x 24 7/16" |
| Product weight, lbs. | 159 |
| HxWxD, cm | 184.5 x 59.5 x 62 |
| Product weight, kg | 72 |
| PERFORMANCE | |
| Energy Star qualified | Yes |
| Climatic class | T |
| Annual energy consumption, kwh/year | 395 |
| Cooling gas | R600a |

24 INCH COUNTER DEPTH BOTTOM-FREEZER REFRIGERATOR

BFBF2413SS

Outstanding Features



NeoFrost Dual Cooling Technology

Between unloading the grocery bags and getting ready to prepare a meal, you probably don't spend a lot of time thinking about the food in your refrigerator or freezer. And that's okay, because here at Beko, we do. That's why we've developed our NeoFrost dual cooling technology to ensure your food stays fresher, longer.

Unlike conventional single cooling systems, NeoFrost cools twice as fast with two separate cooling systems that maintain optimal humidity in the fridge, while keeping the freezer dry and frost-free.



ProSmart Inverter Compressor

The kitchen is a gathering place for your family. It's where plans are made and stories are shared. We've engineered the ProSmart inverter compressor to make sure our refrigerator never interrupts the conversation. As a matter of fact, the ProSmart compressor runs four times quieter than other refrigerator compressors. And the energy-efficient ProSmart compressor also meticulously maintains a consistent temperature to keep food fresher, longer.



Zone Temperature Adjustability

High-tech temperature controls provide precise adjustability for preserving your food.


Inner Digital Display

Easy-to-read inner digital display allows you to quickly adjust your cooling and freezing settings


24 INCH COUNTER DEPTH BOTTOM-FREEZER REFRIGERATOR

BFBF2413SS

Dimensions and Installation



Electrical



| | | |
|--------------------|-------------------------------------|----------|
| Dimensions | Height to top of door, in. | 72 5/8" |
| | Height to top of hinge, in. | 72 9/16" |
| | Height to top of case, in. | 40 7/8" |
| | Case depth without door, in. | 22 7/16" |
| | Case depth with door, in. | 24 7/16" |
| | Depth with fresh door open 90°, in. | 46 7/8" |
| | Width, in. | 23 7/16" |
| Air Gap Clearances | Each Side, in. | 1/8" |
| | Top, in. | 1" |
| | Back, in. | 1" |

NOTE TO THE INSTALLER: All height, width and depth dimensions are shown in inches (as well as metric). Beko US Inc. reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Please visit our website www.blombergappliances.us or call 888 352 2356 to verify the latest specifications with final dimensional data and other details prior to installation and making a cutout. Applicable product limited warranty information may be found in accompanying product materials or you may contact your account manager for further details. Proper installation is the responsibility of the installer. Product failure due to improper installation is not covered under the Limited Warranty.