

30 INCH BOTTOM-FREEZER REFRIGERATOR

BFBF3018SSIM/BFBF3018SSIML







Fridge Features

EverFresh+

NeoFrost dual cooling technology
ProSmart Inverter Compressor
ENERGY STAR ® certified
Zone temperature adjustability
Active fresh blue light
lonGuard
Inner digital display
Finger print free stainless steel
Interior theatre lighting with LED lights

Freezer Features

Automatic ice maker 3 freezer drawers

Dimensions

 $H \times W \times D$: 67 3/4" \times 29 1/8" \times 28 5/16" Depth is with door / without handles

MODEL CODE	BFBF3018SSIM/BFBF3018SSIML	
Cooling system	Duo Cycle Frost Free Cooling - NeoFrost	
Control system	Electronic Control	
CAPACITIES	Electronic control	
Total net volume, cu. ft.	16.2	
Fresh food net volume, cu. ft.	11.1	
Freezer net volume, cu. ft.	5.1	
FRIDGE FEATURES	312	
Active Fresh Blue Light	Yes	
EverFresh	Yes	
IonGuard	Yes	
Interior filtered water dispenser	No	
Filtered ice & water dispenser through door	No	
Electronic control display type	Digital inner display	
Auto defrost	Yes	
Inner illumination	LED - Side walls	
Shelves	2	
Crispers	1	
Door racks	3	
Wine rack	Yes	
Bottle gripper	No	
Compressor	Variable Speed VCC	
Fan ventilation	Yes	
FREEZER FEATURES	. 65	
Auto defrost	Yes	
Number of freezer drawers	3	
Automatic ice maker	Yes	
Ice cube tray	No	
TECHNICAL INFORMATION		
Supply voltage, V/Hz	120V/60Hz	
Rated Current, A	1.9 A	
Noise level, dBA	43	
DIMENSIONS		
HxWxD, in	67 3/4" x 29 1/8" x 28 5/16"	
Product weight, lbs.	198	
HxWxD, cm	172 x 74 x 72	
Product weight, kg	90	
PERFORMANCE		
Energy Star qualified	Yes	
Climatic class	Т	
Annual energy consumption, kwh/year	528	
Cooling gas	R600a	
COLOR OPTIONS		
Stainless Steel	BFBF3018SSIM	
Left Hinge Door LN	BFBF3018SSIML	
0		



30 INCH BOTTOM-FREEZER REFRIGERATOR

BFBF3018SSIM/BFBF3018SSIML

Outstanding Features



EverFresh+

With meticulous temperature management and precise humidity control, our EverFresh + technology keeps fresh food fresher three times longer than the average refrigerator – for up to 30 days! *

* Tested by SGS (compared to standard crisper for broccoli and lettuce)

Active Fresh Blue Light

Fruits and vegetables stay fresh up to 30% longer, and retain vitamins and nutrients with this amazing new technology that simulates natural lighting conditions, extending the photosynthesis process into your refrigerator.



NeoFrost Dual Cooling Technology

Between unloading the grocery bags and getting ready to prepare a meal, you probably don't spend a lot of time thinking about the food in your refrigerator or freezer. And that's okay, because here at Beko, we do. That's why we've developed our NeoFrost dual cooling technology to ensure your food stays fresher, longer.

Unlike conventional single cooling systems, NeoFrost cools twice as fast with two separate cooling systems that maintain optimal humidity in the fridge, while keeping the freezer dry and frost-free.



ProSmart Inverter Compressor

The kitchen is a gathering place for your family. It's where plans are made and stories are shared. We've engineered the ProSmart inverter compressor to make sure our refrigerator never interrupts the conversation. As a matter of fact, the ProSmart compressor runs four times quieter than other refrigerator compressors. And the energy-efficient ProSmart compressor also meticulously maintains a consistent temperature to keep food fresher, longer.



Automatic Ice Maker


Beko Automatic Ice Maker can generate 6 pounds of ice per day avoiding the need to fill old fashioned ice trays by hand.



30 INCH BOTTOM-FREEZER REFRIGERATOR


BFBF3018SSIM/BFBF3018SSIML

Dimensions and Installation



Plumbing 10" (254mm) 2" (50.8mm)

Electrical



Dimensions	Height to top of door, in.	67 ¾"
	Height to top of hinge, in.	67 ¾"
	Height to top of case, in.	67 5/16"
	Case depth without door, in.	25 5/8"
ens	Case depth less door handle, in.	28 5/16"
Dim	Case depth with door handle, in.	29 9/16"
	Depth with fresh door open 90°, in.	55 ½"
	Width, in.	29 1/8"
	Width with door open 90° including door handle, in.	30 7/8"
Air Gap	Each Side, in.	1/4"
Clearances	Top, in.	1"
	Back, in.	3/4"

NOTE TO THE INSTALLER: All height, width and depth dimensions are shown in inches (as well as metric). Beko US Inc. reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Please visit our website www.blombergappliances.us or call 888 352 2356 to verify the latest specifications with final dimensional data and other details prior to installation and making a cutout. Applicable product limited warranty information may be found in accompanying product materials or you may contact your account manager for further details. Proper installation is the responsibility of the installer. Product failure due to improper installation is not covered under the Limited Warranty.