

24 INCH TOP CONTROL DISHWASHER

DDT28430X / DIT28430



Main Features

- 14 place settings
- 8 programs
- 45 dBA silent operation
- ENERGY STAR® Most Efficient 2017
- AquaIntense
- ProSmart Inverter Motor
- AquaFlex
- Auto tablet function
- Flow through heater
- Active fan drying
- 5 level wash
- 3way euro filtering system
- NSF certified function
- Built-in high loop with air gap
- Stainless steel tank
- Fingerprint-free stainless steel

Flexible Baskets

- Flexible upper rack
- Height adjustable upper rack
- Sliding cutlery basket
- Removable 3rd rack
- Lower rack full folding tines
- 13" plate dimension

Dimensions

H x W X D: 33 7/8" x 23 9/16" x 22 1/2"

| CONTROLS | DDT28430X / DIT28430 |
|--------------------------------------|------------------------------|
| Control Type | Electronic |
| Position | Top |
| MAIN FEATURES | |
| Loading Capacity (place settings) | 14 |
| Tub material | Stainless Steel |
| Inner door material | Stainless Steel |
| Interior illumination | No |
| Water Softener | No |
| DMSF overflow protection | Yes |
| 5 level wash with 3rd spray arm | Yes |
| Delay timer up to 1-24 hour | Yes |
| 3-way euro filter | Yes |
| Drying | Active Fan |
| ProSmart Inverter motor | Yes |
| Turbidity sensor | Yes |
| Silence level, dBA | 45 dBA |
| InnerClean | Yes |
| Autotablet function | Yes |
| 1/2 load function | Yes |
| Sanitize function | Yes |
| Super rinse function | No |
| SteamGloss function | Yes |
| Fast function | No |
| AquaIntense function | Yes |
| IonGuard | No |
| Interior high loop with airgap | Yes |
| Power plug | Yes |
| PROGRAMS | |
| Number of programs | 8 |
| Scrub with AquaIntense | No |
| Heavy Plus (167F rinse temp.) | Yes |
| Heavy (158F rinse temp.) | Yes |
| Auto program (131F-149F rinse temp.) | Yes |
| AquaFlex | Yes |
| Normal (142F-145F rinse temp.) | Yes |
| Clean & Shine | No |
| Delicate (149F rinse temp.) | Yes |
| Glass Care | No |
| Express (131F rinse temp.) | Yes |
| Rinse & Hold | Yes |
| DISPLAY | |
| Program sequence | Yes/Digital Display |
| Rinse aid indicator | Electronic |
| Rinse aid indicator display | Yes |
| Salt indicator display | No |
| Light indicator on floor | Yes |
| RACK SYSTEM | |
| Easy fold lower rack folding tines | Yes |
| Lower rack embossed stainless handle | Yes |
| Cutlery basket | Sliding |
| Upper rack (inset shelves) | 4 |
| Easy fold upper rack folding tines | Yes |
| Acrobat system adjustable upper rack | Loaded |
| Multipurpose removable 3rd rack | Yes |
| Lower basket wine glass holder | No |
| Nylon coated racks | Yes |
| DIMENSIONS | |
| HxWxD, in. | 33 7/8" x 23 9/16" x 22 1/2" |
| Product weight, lbs. | 99 |
| HxWxD, cm | 86.1 x 59.8 x 57 |
| Product weight, kg | 45 |
| ENVIRONMENTAL STANDARDS | |
| ENERGY STAR® qualified | Yes |
| Energy consumption, kWh/year | 225 |
| Water consumption, gal/cycle | 2.4 - 4.7 |
| RoHS compliant (Lead free) | Yes |
| OPTIONS | |
| Stainless Steel | DDT28430X |
| Panel Ready | DIT28430 |

24 INCH TOP CONTROL DISHWASHER

DDT28430X / DIT28430

Outstanding Features



SilentTech (40 dBA)

Quiet talks over after-dinner coffee, book reports written at the kitchen table, movie night in the adjoining room, all made possible by Beko's SilentTech insulation technology. SilentTech suppresses dishwasher noise while extra insulation keeps heat in, for a high energy efficiency combination that really cleans up.



AqualIntense

Why is it that your best kitchen creations also tend to be the messiest? Whether it's your cheesiest lasagna, darkest coffee, or other baked-on, dried-on, even burned-on foods, Beko has developed AqualIntense technology to power your dishes clean. Thanks to its power zone of intense water pressure and innovative 180° rotating spray arm with a 360° rotating head, AqualIntense provides up to five times better cleaning performance. So, forget washing your toughest dishes by hand, and start planning your next culinary delight instead.



ProSmart Inverter Motor

There's no reason to sacrifice the serenity of your kitchen for a dishwasher cycle. Our advanced ProSmart Inverter Motor that helps power Beko's cleaning is twice as quiet as standard motors. Plus, it saves water and energy, so you can have some peace with your quiet.



ENERGY STAR® Most Energy Efficient 2017

Meeting rigorous energy efficiency performance levels set by the U.S. Environmental Protection Agency, Beko dishwashers received the ENERGY STAR® Most Efficient Mark. Beko Most energy efficient dishwashers have average energy savings of 22% and water savings of 36% compared to the federal standard.

24 INCH TOP CONTROL DISHWASHER

DDT28430X / DIT28430

Flexible Baskets

Flexible design allows you to alter your basket configuration and capacity for the most efficient dish loading, according to your daily needs.



Flexible Upper Rack

Easy-fold glass supports and height-adjustable mug shelves accommodate different glass heights, mugs and espresso cups, all in one cycle.



Removable 3rd Rack

This removable rack gives you extra capacity for cutlery and espresso cups while still allowing for tall glassware along the edges of the upper basket



Height Adjustable Upper Rack

Raise the height of the upper basket to wash large plates below or lower it to accommodate tall glasses.

13" Plate Dimension

Generous interior space allows for plates as tall as 13".



Sliding Cutlery Basket

For added flexibility, the sliding cutlery basket can be placed in any position along the front row of the lower rack.




Lower Rack Full Folding Tines

Full folding tines at lower basket provides you the required flat space to load your large pots & pans. You wash all your large pots and pans and they are cleaned thoroughly.


24 INCH TOP CONTROL DISHWASHER

DDT28430X / DIT28430

Dimensions and Installation



Panel requirements for panel ready models:



NOTE TO THE INSTALLER: All height, width and depth dimensions are shown in inches (as well as metric). Beko US Inc. reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Please visit our website www.blongerappliance.com or call 888 352 2356 to verify the latest specifications with final dimensional data and other details prior to installation and making a cutout. Applicable product limited warranty information may be found in accompanying product materials or you may contact your account manager for further details. Proper installation is the responsibility of the installer. Product failure due to improper installation is not covered under the Limited Warranty.