

28" Top Freezer Refrigerator with Ice Maker





Also Available:
BFTF2716SSIM - Fingerprint-Free Stainless Steel
BFTF2716WH - Without Ice Maker

CEE Tier 1

GENERAL PROPERTIES	
Туре	Freestanding
Style	Top Freezer
Finish	White
Handles	Flush Pocket Handle
Metal Back Wall	_
Cooling System	NeoFrost™ Dual Cooling Technology
Control System	Electronic Controls
Control Display Type & Location	Digital LED Display, Interior
Connectivity	_

CAPACITY	
Total Net Volume	13.53 cu. ft.
Fresh Food Net Volume	10.10 cu. ft.
Freezer Net Volume	3.43 cu. ft.

PREMIUM TECHNOLOGY



ACTIVE FRESH BLUE LIGHT™

Fruits and vegetables stay fresh up to 30% longer, and retain vitamins and nutrients with technology that simulates natural lighting conditions, extending the photosynthesis of fruits and vegetables stored in your refrigerator.



NEOFROST™ DUAL COOLING TECHNOLOGY

NeoFrost™ Dual Cooling's separate cooling systems for each compartment maintain ideal air flow and optimal temperatures with a high level of humidity in both the freezer and the fridge.



FREEZE GUARD

Beko Freeze Guard technology uses an inverter compressor and electronic temperature control system to ensure the freezer continues to work in ambient temperatures as low as 5° F, without any loss of performance.*

*The fridge compartment will not work properly in low temperatures, so we recommend you only use the freezer compartment in low ambient temperatures.



28" Top Freezer Refrigerator with Ice Maker

PERFORMANCE		
Fresh Food Temperature Range*	33° F to 46° F	
Freezer Temperature Range*	-11° F to 0° F	
Environment Temperature Range	Operates in Temperatures Between 32° F and 110° F	
Freeze Guard	Yes, Freezer Operates in Temperatures as Low as 5° F	
Modes	On/Off Power, On/Off Icemaker, Temperature Control, Vacation, Economy	
Compressor	Variable Speed VCC	
ENERGY STAR® Certified	_	
Annual Energy Consumption	326 kWh/year	

FRESH FOOD FEATURES		
Crispers	1 - Full-Width	
Active Fresh Blue Light™ Crispers	Yes	
Full-Width Deli Drawer	Yes	
Shelves	3 - Full-Depth, Safety Glass (3 Adjustable)	
Total Number of Door Bins	3	
Gallon-Sized Door Bins	_	
Wine Rack	_	
Odor Control Technology	_	
Sabbath Mode	_	
Eco-Mode	Yes	
Door Open Alarm	Yes	
Interior Illumination	LED - Side Walls	

FREEZER FEATURES	
Freezer Shelves	1 - Safety Glass
Freezer Door Bins	2
Freezer Interior Illumination	Yes
Automatic Ice Maker	Yes, Makes up to 2.2 lbs./Day
Auto Defrost	Yes

TECHNICAL INFORMATION	
Volts / Frequency	120 V / 60 Hz
Rated Current (A)	2 A
Min. Circuit Breaker Size	15 Amp
Sound Level	38 dBA
Refrigerant Type	R600a
Plug Type	NEMA 3-Prong
Power Cord Length	6 ft.
Reversible Doors	Yes

DIMENSIONS & WEIGHT	
Product (H x W x D) (in)	67 11/ ₁₆ x 27 9/ ₁₆ x 24 1/ ₂
Height With Hinge Cap	67 11 / 16
Height Without Hinge Cap	67 ³ /16
Depth With Handles	241/2
Depth Without Handles	241/2
Depth Without Doors	21 5/8
Carton (H x W x D) (in)	71 ¹ / ₄ x 29 ¹⁵ / ₁₆ x 28 ³ / ₄
Product Weight (lbs)	147.71
Shipping Weight (lbs)	165.35


WARRANTY	
Entire Appliance (Parts & Labor)	2-year Full Warranty
Sealed System (Parts Only)	5-year Limited Warranty

© 2023 Beko U.S., Inc. 7/23


^{*} Actual temperatures may vary with environment and other factors




28" Top Freezer Refrigerator with Ice Maker




^{*}Add 1" (25.4 mm) with front leveling feet fully extended






Electrical Location




Water Location (Models with Ice Maker)




^{**}Add 17/8" (48 mm) for bump outs on back



28" Top Freezer Refrigerator with Ice Maker





NOTE TO THE INSTALLER: All height, width, and depth dimensions are shown in inches (as well as metric). Beko U.S., Inc. reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Please visit our website, www.BekoAppliances.com, or call 888.352.2356 to verify the latest specifications with final dimensional data and other details prior to installation and making a cutout. Applicable product limited warranty information may be found in accompanying product materials, or you may contact your account manager for further details. Proper installation is the responsibility of the installer. Product failure due to improper installation is not covered under the Limited Warranty.